



略 図

街区面積 = 5188.66 m²
 画地面積 = 5188.56



街区点番号 1 ~ 52 筆界点番号 41 ~ 66 画地番号 (1) ~ (2)

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
124BL-30	124BL- 1		273 0 5						-131243.592	-69212.264			
124BL- 1	124BL- 2	135 21 16	228 21 21	4.953	-3.291	0	-3.701	0	-131246.883	-69215.965	-36.562	120.325542	
124BL- 2	124BL- 3	134 41 6	183 2 27	44.282	-44.220	0	-2.349	0	-131291.103	-69218.314	-42.612	1884.302640	
124BL- 3	124BL- 4	142 59 54	146 2 21	140.133	-116.229	0	78.282	0	-131407.332	-69140.032	33.321	-3872.866509	
124BL- 4	124BL- 5	89 59 9	56 1 30	23.982	13.402	0	19.888	0	-131393.930	-69120.144	131.491	1762.242382	
124BL- 5	124BL- 6	90 0 54	326 2 24	76.735	63.646	0	-42.865	0	-131330.284	-69163.009	108.514	6906.482044	
124BL- 6	124BL- 7	180 26 53	326 29 17	2.499	2.084	0	-1.380	0	-131328.200	-69164.389	64.269	133.936596	
124BL- 7	124BL- 8	181 7 37	327 36 54	2.496	2.108	0	-1.337	0	-131326.092	-69165.726	61.552	129.751616	
124BL- 8	124BL- 9	182 7 13	329 44 7	2.502	2.161	0	-1.261	0	-131323.931	-69166.987	58.954	127.399594	
124BL- 9	124BL-10	181 51 7	331 35 14	2.497	2.196	0	-1.188	0	-131321.735	-69168.175	56.505	124.084980	
124BL-10	124BL-11	181 27 29	333 2 43	2.500	2.228	0	-1.133	0	-131319.507	-69169.308	54.184	120.721952	
124BL-11	124BL-12	181 50 47	334 53 30	2.498	2.262	0	-1.060	0	-131317.245	-69170.368	51.991	117.603642	
124BL-12	124BL-13	181 33 28	336 26 58	2.500	2.292	0	-0.999	0	-131314.953	-69171.367	49.932	114.444144	
124BL-13	124BL-14	181 49 18	338 16 16	2.499	2.321	0	-0.925	0	-131312.632	-69172.292	48.008	111.426568	
124BL-14	124BL-15	181 35 28	339 51 44	2.501	2.348	0	-0.861	0	-131310.284	-69173.153	46.222	108.529256	
124BL-15	124BL-16	182 10 3	342 1 47	2.496	2.374	0	-0.770	0	-131307.910	-69173.923	44.591	105.859034	
124BL-16	124BL-17	181 29 34	343 31 21	2.500	2.397	0	-0.709	0	-131305.513	-69174.632	43.112	103.339464	
124BL-17	124BL-18	181 44 27	345 15 48	2.500	2.418	0	-0.636	0	-131303.095	-69175.268	41.767	100.992606	
124BL-18	124BL-19	181 29 23	346 45 11	2.501	2.434	0	-0.573	0	-131300.661	-69175.841	40.558	98.718172	
124BL-19	124BL-20	182 5 8	348 50 19	2.495	2.448	0	-0.483	0	-131298.213	-69176.324	39.502	96.700896	
124BL-20	124BL-21	182 19 3	351 9 22	2.498	2.468	0	-0.384	0	-131295.745	-69176.708	38.635	95.351180	
124BL-21	124BL-22	181 18 46	352 28 8	2.503	2.481	0	-0.328	0	-131293.264	-69177.036	37.923	94.086963	
124BL-22	124BL-23	181 3 34	353 31 42	2.502	2.486	0	-0.282	0	-131290.778	-69177.318	37.313	92.760118	
124BL-23	124BL-24	181 39 44	355 11 26	2.493	2.484	0	-0.209	0	-131288.294	-69177.527	36.822	91.465848	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
124BL-24	124BL-25	181 49 54	357 1 20	2.502	2.499	0	-0.130	0	-131285.795	-69177.657	36.483	91.171017	
124BL-25	124BL-26	181 18 12	358 19 32	2.498	2.497	0	-0.073	0	-131283.298	-69177.730	36.280	90.591160	
124BL-26	124BL-27	182 11 51	0 31 23	2.410	2.410	0	0.022	0	-131280.888	-69177.708	36.229	87.311890	
124BL-27	124BL-28	181 38 59	2 10 22	2.427	2.425	0	0.092	0	-131278.463	-69177.616	36.343	88.131775	
124BL-28	124BL-29	180 50 19	3 0 41	29.485	29.444	0	1.549	0	-131249.019	-69176.067	37.984	1118.400896	
124BL-29	124BL-30	134 58 51	317 59 32	4.985	3.704	0	-3.336	0	-131245.315	-69179.403	36.197	134.073688	
124BL-30	124BL- 1	135 0 33	273 0 5	32.906	1.723	0	-32.861	0	-131243.592	-69212.264	0.000	0.000000	
TOTAL..	ソツカクズ= 30	5040	0 0	412.278	0.000	0	0.000	0				ハイメンセキ= 10377.339154	
												1/2= 5188.66	+0.00
												メンセキ= 5188.66	

*** メンセキ ケイサン (ハライオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

レイリ NO... 124BL(1)-1 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
124BL-30	124BL-62 ✓		273 0 5						-131244.468	-69195.553			
124BL-62	124BL-63 ✓	90 6 8	183 6 13 ✓	15.263 ✓	-15.241	0	-0.826	0	-131259.709	-69196.379	-16.976	258.731216	
124BL-63	124BL-61 ✓	88 36 40	91 42 53 ✓	19.728 ✓	-0.590	0	19.719	0	-131260.299	-69176.660	1.917	-1.131030	
124BL-61	124BL-29 ✓	91 17 48	3 0 41 ✓	11.296 ✓	11.280	0	0.593	0	-131249.019	-69176.067	22.229	250.743120	
124BL-29	124BL-30 ✓	134 58 51	317 59 32 ✓	4.985 ✓	3.704	0	-3.336	0	-131245.315	-69179.403	19.486	72.176144	
124BL-30	124BL-62 ✓	135 0 33	273 0 5 ✓	16.172 ✓	0.847	0	-16.150	0	-131244.468	-69195.553	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540 0 0		67.444	0.000	0 ✓	0.000	0 ✓			ハライメンセキ=	580.519450	
											1/2=	290.25	+0.00
											メンセキ=	290.25 ✓	

レイリ NO... 124BL(1)-2 ✓

124BL-61	124BL-63 ✓		271 42 53						-131259.709	-69196.379			
124BL-63	124BL-64 ✓	91 23 20	183 6 13 ✓	14.959 ✓	-14.937	0	-0.810	0	-131274.646	-69197.189	-20.529	306.641673	
124BL-64	124BL-60 ✓	89 56 14	93 2 27 ✓	19.747 ✓	-1.048	0	19.719	0	-131275.694	-69177.470	-1.620	1.697760	
124BL-60	124BL-61 ✓	89 58 14	3 0 41 ✓	15.416 ✓	15.395	0	0.810	0	-131260.299	-69176.660	18.909	291.104055	
124BL-61	124BL-63 ✓	88 42 12	271 42 53 ✓	19.728 ✓	0.590	0	-19.719	0	-131259.709	-69196.379	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		69.850	0.000	0 ✓	0.000	0 ✓			ハライメンセキ=	599.443488	
											1/2=	299.72	+0.00
											メンセキ=	299.72 ✓	

*** ムンセキ ケイサン (ハイイウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL(1)-3 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブムンセキ
124BL-60	124BL-64 ✓		273 2 27						-131274.646	-69197.189			
124BL-64	124BL-66 ✓	90 3 46	183 6 13 ✓	14.495 ✓	-14.474	0	-0.785	0	-131289.120	-69197.974	-20.504	296.774896	
124BL-66	124BL-59 ✓	81 19 39	84 25 52 ✓	20.484 ✓	1.988	0	20.387	0	-131287.132	-69177.587	-0.902	-1.793176	
124BL-59	124BL-25 ✓	92 35 28	357 1 20 ✓	1.338 ✓	1.336	1	-0.070	0	-131285.795	-69177.657	19.415	25.957855	
124BL-25	124BL-26 ✓	181 18 12	358 19 32 ✓	2.498 ✓	2.497	0	-0.073	0	-131283.298	-69177.730	19.272	48.122184	
124BL-26	124BL-27 ✓	182 11 51	0 31 23 ✓	2.410 ✓	2.410	0	0.022	0	-131280.888	-69177.708	19.221	46.322610	
124BL-27	124BL-28 ✓	181 38 59	2 10 22 ✓	2.427 ✓	2.425	0	0.092	0	-131278.463	-69177.616	19.335	46.887375	
124BL-28	124BL-60 ✓	180 50 19	3 0 41 ✓	2.773 ✓	2.769	0	0.146	0	-131275.694	-69177.470	19.573	54.197637	
124BL-60	124BL-64 ✓	90 1 46	273 2 27 ✓	19.747 ✓	1.048	0	-19.719	0	-131274.646	-69197.189	0.000	0.000000	
TOTAL..	ソツカクスウ= 8	1080	0 0	66.172	-0.001	1 ✓	0.000	0 ✓			ハイイウキヨホウ=	516.469381	
											1/2=	258.23	+0.00
											ムンセキ=	258.23 ✓	

セリ NO... 124BL(1)-4 ✓

124BL-62	124BL- 1 ✓		273 0 5						-131243.592	-69212.264			
124BL- 1	124BL- 2 ✓	135 21 16	228 21 21 ✓	4.953 ✓	-3.291	0	-3.701	0	-131246.883	-69215.965	-20.412	67.175892	
124BL- 2	124BL-41 ✓	134 41 6	183 2 27 ✓	12.237 ✓	-12.220	0	-0.649	0	-131259.103	-69216.614	-24.762	302.591640	
124BL-41	124BL-63 ✓	88 40 26	91 42 53 ✓	20.244 ✓	-0.606	0	20.235	0	-131259.709	-69196.379	-5.176	3.136656	
124BL-63	124BL-62 ✓	91 23 20	3 6 13 ✓	15.263 ✓	15.241	0	0.826	0	-131244.468	-69195.553	15.885	242.103285	
124BL-62	124BL- 1 ✓	89 53 52	273 0 5 ✓	16.734 ✓	0.876	0	-16.711	0	-131243.592	-69212.264	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540	0 0	69.431	0.000	0 ✓	0.000	0 ✓			ハイイウキヨホウ=	615.007473	
											1/2=	307.50	+0.00
											ムンセキ=	307.50 ✓	

*** ムツセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL(1)-~~7~~⁵ ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブムツセキ
124BL-63	124BL-41 ✓		271 42 53						-131259.103	-69216.614			
124BL-41	124BL-42 ✓	91 19 34	183 2 27 ✓	17.179 ✓	-17.155	0	-0.911	0	-131276.258	-69217.525	-21.146	362.759630	
124BL-42	124BL-65 ✓	90 0 0	93 2 27 ✓	20.218 ✓	-1.073	0	20.190	0	-131277.331	-69197.335	-1.867	2.003291	
124BL-65	124BL-63 ✓	90 3 46	3 6 13 ✓	17.648 ✓	17.622	0	0.955	1	-131259.709	-69196.379	19.279	339.734538	
124BL-63	124BL-41 ✓	88 36 40	271 42 53 ✓	20.244 ✓	0.606	0	-20.235	0	-131259.103	-69216.614	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		75.289	0.000	0 ✓	-0.001	1 ✓			ハイムツセキ=	704.497459	
											1/2=	352.24	+0.00
											ムツセキ=	352.24 ✓	

セリ NO... 124BL(1)-~~8~~⁶ ✓

124BL-65	124BL-42 ✓		273 2 27						-131276.258	-69217.525			
124BL-42	124BL- 3 ✓	90 0 0	183 2 27 ✓	14.866 ✓	-14.845	0	-0.789	0	-131291.103	-69218.314	-20.979	311.433255	
124BL- 3	124BL-66 ✓	81 23 25	84 25 52 ✓	20.436 ✓	1.983	0	20.340	0	-131289.120	-69197.974	-1.428	-2.831724	
124BL-66	124BL-65 ✓	98 40 21	3 6 13 ✓	11.806 ✓	11.789	0	0.639	0	-131277.331	-69197.335	19.551	230.486739	
124BL-65	124BL-42 ✓	89 56 14	273 2 27 ✓	20.218 ✓	1.073	0	-20.190	0	-131276.258	-69217.525	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		67.326	0.000	0 ✓	0.000	0 ✓			ハイムツセキ=	539.088270	
											1/2=	269.54	+0.00
											ムツセキ=	269.54 ✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカケイリシキヨウ

セトリ NO... 124BL(1)-7 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
124BL-59	124BL-3 ✓		264 25 52						-131291.103	-69218.314			
124BL-3	124BL-43 ✓	61 36 29	146 2 21 ✓	20.938 ✓	-17.366	0	11.697	-1	-131308.469	-69206.618	-29.031	504.152346	
124BL-43	124BL-58 ✓	103 19 28	69 21 49 ✓	32.190 ✓	11.345	0	30.125	0	-131297.124	-69176.493	12.790	145.102550	
124BL-58	124BL-21 ✓	101 47 33	351 9 22 ✓	1.396 ✓	1.379	0	-0.215	0	-131295.745	-69176.708	42.700	58.883300	
124BL-21	124BL-22 ✓	181 18 46	352 28 8 ✓	2.503 ✓	2.481	0	-0.328	0	-131293.264	-69177.036	42.157	104.591517	
124BL-22	124BL-23 ✓	181 3 34	353 31 42 ✓	2.502 ✓	2.486	0	-0.282	0	-131290.778	-69177.318	41.547	103.285842	
124BL-23	124BL-24 ✓	181 39 44	355 11 26 ✓	2.493 ✓	2.484	0	-0.209	0	-131288.294	-69177.527	41.056	101.983104	
124BL-24	124BL-59 ✓	181 49 54	357 1 20 ✓	1.164 ✓	1.162	0	-0.060	0	-131287.132	-69177.587	40.787	47.394494	
124BL-59	124BL-3 ✓	87 24 32	264 25 52 ✓	40.920 ✓	-3.971	0	-40.727	0	-131291.103	-69218.314	0.000	0.000000	
TOTAL..	ソツカクスウ= 8	1080	0 0	104.106	0.000	0 ✓	0.001	-1 ✓			ハイメンセキ=	1065.393153	
											1/2=	532.69	+0.00
											メンセキ=	532.69 ✓	

*** メンセキ かいさん (ハイオウキヨボウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セイリ NO... 124BL(1)-8 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
124BL-58	124BL-43 ✓		249 21 49						-131308.469	-69206.618			
124BL-43	124BL-44 ✓	76 40 32	146 2 21 ✓	15.465 ✓	-12.827	0	8.639	1	-131321.296	-69197.978	-21.485	275.588095	
124BL-44	124BL-57 ✓	103 19 28	69 21 49 ✓	27.100 ✓	9.551	0	25.361	0	-131311.745	-69172.617	12.516	119.540316	
124BL-57	124BL-15 ✓	90 29 55	339 51 44 ✓	1.556 ✓	1.461	0	-0.536	0	-131310.284	-69173.153	37.341	54.555201	
124BL-15	124BL-16 ✓	182 10 3	342 1 47 ✓	2.496 ✓	2.374	0	-0.770	0	-131307.910	-69173.923	36.035	85.547090	
124BL-16	124BL-17 ✓	181 29 34	343 31 21 ✓	2.500 ✓	2.397	0	-0.709	0	-131305.513	-69174.632	34.556	82.830732	
124BL-17	124BL-18 ✓	181 44 27	345 15 48 ✓	2.500 ✓	2.418	0	-0.636	0	-131303.095	-69175.268	33.211	80.304198	
124BL-18	124BL-19 ✓	181 29 23	346 45 11 ✓	2.501 ✓	2.434	0	-0.573	0	-131300.661	-69175.841	32.002	77.892868	
124BL-19	124BL-20 ✓	182 5 8	348 50 19 ✓	2.495 ✓	2.448	0	-0.483	0	-131298.213	-69176.324	30.946	75.755808	
124BL-20	124BL-58 ✓	182 19 3	351 9 22 ✓	1.102 ✓	1.089	0	-0.169	0	-131297.124	-69176.493	30.294	32.990166	
124BL-58	124BL-43 ✓	78 12 27	249 21 49 ✓	32.190 ✓	-11.345	0	-30.125	0	-131308.469	-69206.618	0.000	0.000000	
TOTAL..	ソツカクスウ= 10	1440	0 0	89.905	0.000	0 ✓	-0.001	1 ✓			ハイメンセキ=	885.004474	
											1/2=	442.50	+0.00
											メンセキ=	442.50 ✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL(1)-~~11~~⁹

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
124BL-57	124BL-44✓		249 21 49						-131321.296	-69197.978			
124BL-44	124BL-45✓	76 40 32	146 2 21✓	17.851✓	-14.806	0	9.972	0	-131336.102	-69188.006	-15.389	227.849534	
124BL-45	124BL-56✓	90 0 0	56 2 21✓	24.393✓	13.627	-1	20.232	0	-131322.476	-69167.774	14.815	201.869190	
124BL-56	124BL-10✓	95 32 53	331 35 14✓	0.843✓	0.741	0	-0.401	0	-131321.735	-69168.175	34.646	25.672686	
124BL-10	124BL-11✓	181 27 29	333 2 43✓	2.500✓	2.228	0	-1.133	0	-131319.507	-69169.308	33.112	73.773536	
124BL-11	124BL-12✓	181 50 47	334 53 30✓	2.498✓	2.262	0	-1.060	0	-131317.245	-69170.368	30.919	69.938778	
124BL-12	124BL-13✓	181 33 28	336 26 58✓	2.500✓	2.292	0	-0.999	0	-131314.953	-69171.367	28.860	66.147120	
124BL-13	124BL-14✓	181 49 18	338 16 16✓	2.499✓	2.321	0	-0.925	0	-131312.632	-69172.292	26.936	62.518456	
124BL-14	124BL-57✓	181 35 28	339 51 44✓	0.945✓	0.887	0	-0.325	0	-131311.745	-69172.617	25.686	22.783482	
124BL-57	124BL-44✓	89 30 5	249 21 49✓	27.100✓	-9.551	0	-25.361	0	-131321.296	-69197.978	0.000	0.000000	
TOTAL..	ソツカクスウ= 9	1260	0 0	81.129	0.001	-1✓	0.000	0✓			ハイメンセキ=	750.552782	
											1/2=	375.27	+0.00
											メンセキ=	375.27✓	

セリ NO... 124BL(1)-~~12~~¹⁰

124BL-56	124BL-45✓		236 2 21						-131336.102	-69188.006			
124BL-45	124BL-46✓	90 0 0	146 2 21✓	15.137✓	-12.555	0	8.456	0	-131348.657	-69179.550	-11.776	147.847680	
124BL-46	124BL-55✓	90 13 47	56 16 8✓	23.984✓	13.318	0	19.946	0	-131335.339	-69159.604	16.626	221.425068	
124BL-55	124BL- 6✓	89 46 16	326 2 24✓	6.095✓	5.055	0	-3.405	0	-131330.284	-69163.009	33.167	167.659185	
124BL- 6	124BL- 7✓	180 26 53	326 29 17✓	2.499✓	2.084	0	-1.380	0	-131328.200	-69164.389	28.382	59.148088	
124BL- 7	124BL- 8✓	181 7 37	327 36 54✓	2.496✓	2.108	0	-1.337	0	-131326.092	-69165.726	25.665	54.101820	
124BL- 8	124BL- 9✓	182 7 13	329 44 7✓	2.502✓	2.161	0	-1.261	0	-131323.931	-69166.987	23.067	49.847787	
124BL- 9	124BL-56✓	181 51 7	331 35 14✓	1.654✓	1.455	0	-0.787	0	-131322.476	-69167.774	21.019	30.582645	
124BL-56	124BL-45✓	84 27 7	236 2 21✓	24.393✓	-13.627	1	-20.232	0	-131336.102	-69188.006	0.000	0.000000	
TOTAL..	ソツカクスウ= 8	1080	0 0	78.760	-0.001	1✓	0.000	0✓			ハイメンセキ=	730.612273	
											1/2=	365.30	+0.00
											メンセキ=	365.30✓	

*** メンセキ ケイサン (ハイオウキヨボウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

レイ NO... 124BL(1)-~~13~~¹¹✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
124BL-55	124BL-46✓		236 16 8						-131348.657	-69179.550			
124BL-46	124BL-47✓	89 46 13	146 2 21✓	13.694✓	-11.358	0	7.650	0	-131360.015	-69171.900	-12.296	139.657968	
124BL-47	124BL-54✓	90 0 0	56 2 21✓	23.983✓	13.398	-1	19.892	0	-131346.618	-69152.008	15.246	204.250662	
124BL-54	124BL-55✓	90 0 3	326 2 24✓	13.598✓	11.279	0	-7.596	0	-131335.339	-69159.604	27.542	310.646218	
124BL-55	124BL-46✓	90 13 44	236 16 8✓	23.984✓	-13.318	0	-19.946	0	-131348.657	-69179.550	0.000	0.000000	
TOTAL..	ソツカクスク= 4	360 0 0		75.259	0.001	-1✓	0.000	0✓			ハイメンセキ=	654.554848	
											1/2=	327.27	+0.00
											メンセキ=	327.27✓	

レイ NO... 124BL(1)-~~14~~¹²✓

124BL-54	124BL-47✓		236 2 21						-131360.015	-69171.900			
124BL-47	124BL-48✓	90 0 0	146 2 21✓	14.374✓	-11.922	-1	8.030	-1	-131371.938	-69163.871	-11.863	141.442549	
124BL-48	124BL-53✓	90 12 52	56 15 13✓	23.983✓	13.323	0	19.942	0	-131358.615	-69143.929	16.108	214.606884	
124BL-53	124BL-54✓	89 47 11	326 2 24✓	14.464✓	11.997	0	-8.080	1	-131346.618	-69152.008	27.971	335.568087	
124BL-54	124BL-47✓	89 59 57	236 2 21✓	23.983✓	-13.398	1	-19.892	0	-131360.015	-69171.900	0.000	0.000000	
TOTAL..	ソツカクスク= 4	360 0 0		76.804	0.000	0✓	0.000	0✓			ハイメンセキ=	691.617520	
											1/2=	345.80	+0.00
											メンセキ=	345.80✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 124BL(2)-1 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
124BL-53	124BL-48 ✓		236 15 13						-131371.938	-69163.871			
124BL-48	124BL-49 ✓	89 47 8	146 2 21 ✓	13.107 ✓	-10.871	0	7.322	0	-131382.809	-69156.549	-12.620	137.192020	
124BL-49	124BL-52 ✓	90 0 0	56 2 21 ✓	23.983 ✓	13.398	-1	19.892	0	-131369.412	-69136.657	14.594	195.515818	
124BL-52	124BL-53 ✓	90 0 3	326 2 24 ✓	13.018 ✓	10.797	0	-7.272	0	-131358.615	-69143.929	27.214	293.829558	
124BL-53	124BL-48 ✓	90 12 49	236 15 13 ✓	23.983 ✓	-13.323	0	-19.942	0	-131371.938	-69163.871	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		74.091	0.001	-1 ✓	0.000	0 ✓			ハイメンセキ=	626.537396	
											1/2=	313.26	+0.00
											メンセキ=	313.26 ✓	

セリ NO... 124BL(2)-2 ✓

124BL-52	124BL-49 ✓		236 2 21						-131382.809	-69156.549			
124BL-49	124BL-50 ✓	90 0 0	146 2 21 ✓	14.256 ✓	-11.824	0	7.964	0	-131394.633	-69148.585	-11.928	141.036672	
124BL-50	124BL-51 ✓	90 0 0	56 2 21 ✓	23.982 ✓	13.397	0	19.891	0	-131381.236	-69128.694	15.927	213.374019	
124BL-51	124BL-52 ✓	90 0 3	326 2 24 ✓	14.255 ✓	11.823	1	-7.963	0	-131369.412	-69136.657	27.855	329.357520	
124BL-52	124BL-49 ✓	89 59 57	236 2 21 ✓	23.983 ✓	-13.398	1	-19.892	0	-131382.809	-69156.549	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		76.476	-0.002	2 ✓	0.000	0 ✓			ハイメンセキ=	683.768211	
											1/2=	341.88	+0.00
											メンセキ=	341.88 ✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO: ... 124BL(2)-3 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フ"メンセキ
124BL-51	124BL-50 ✓		236 2 21						-131394.633	-69148.585			
124BL-50	124BL- 4 ✓	90 0 0	146 2 21 ✓	15.311 ✓	-12.699	0	8.553	0	-131407.332	-69140.032	-11.338	143.981262	
124BL- 4	124BL- 5 ✓	89 59 9	56 1 30 ✓	23.982 ✓	13.402	0	19.888	0	-131393.930	-69120.144	17.103	229.214406	
124BL- 5	124BL-51 ✓	90 0 54	326 2 24 ✓	15.305 ✓	12.694	0	-8.550	0	-131381.236	-69128.694	28.441	361.030054	
124BL-51	124BL-50 ✓	89 59 57	236 2 21 ✓	23.982 ✓	-13.397	0	-19.891	0	-131394.633	-69148.585	0.000	0.000000	
TOTAL..	ソツカクスク= 4	360 0 0		78.580	0.000	0 ✓	0.000	0 ✓			ハイメンセキ=	734.225722	
											1/2=	367.11	+0.00
											メンセキ=	367.11 ✓	

*** ケツコウ トラハ入 ***

チクメイ ... ミヤコダチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
	124BL- 2 ✓									-131246.883	-69215.965	124BL- 2
124BL- 2	124BL-41 ✓		183	2 27 ✓	12.237 ✓	-12.220	0	-0.649	0	-131259.103	-69216.614	124BL-41
124BL-41	124BL-42 ✓	180 0 0	183	2 27 ✓	17.179 ✓	-17.155	0	-0.911	0	-131276.258	-69217.525	124BL-42
124BL-42	124BL- 3 ✓	180 0 0	183	2 27 ✓	14.866 ✓	-14.845	0	-0.789	0	-131291.103	-69218.314	124BL- 3
	TOTAL..	360 0 0			44.282 ✓	-44.220	0 ✓	-2.349	0 ✓			
	124BL- 3 ✓									-131291.103	-69218.314	124BL- 3
124BL- 3	124BL-43 ✓		146	2 21 ✓	20.938 ✓	-17.366	0	11.697	-1	-131308.469	-69206.618	124BL-43
124BL-43	124BL-44 ✓	180 0 0	146	2 21 ✓	15.465 ✓	-12.827	0	8.639	1	-131321.296	-69197.978	124BL-44
124BL-44	124BL-45 ✓	180 0 0	146	2 21 ✓	17.851 ✓	-14.806	0	9.972	0	-131336.102	-69188.006	124BL-45
124BL-45	124BL-46 ✓	180 0 0	146	2 21 ✓	15.137 ✓	-12.555	0	8.456	0	-131348.657	-69179.550	124BL-46
124BL-46	124BL-47 ✓	180 0 0	146	2 21 ✓	13.694 ✓	-11.358	0	7.650	0	-131360.015	-69171.900	124BL-47
124BL-47	124BL-48 ✓	180 0 0	146	2 21 ✓	14.374 ✓	-11.922	-1	8.030	-1	-131371.938	-69163.871	124BL-48
124BL-48	124BL-49 ✓	180 0 0	146	2 21 ✓	13.107 ✓	-10.871	0	7.322	0	-131382.809	-69156.549	124BL-49
124BL-49	124BL-50 ✓	180 0 0	146	2 21 ✓	14.256 ✓	-11.824	0	7.964	0	-131394.633	-69148.585	124BL-50
124BL-50	124BL- 4 ✓	180 0 0	146	2 21 ✓	15.311 ✓	-12.699	0	8.553	0	-131407.332	-69140.032	124BL- 4
	TOTAL..	1440 0 0			140.133 ✓	-116.228	-1 ✓	78.283	-1 ✓			
	124BL- 5 ✓									-131393.930	-69120.144	124BL- 5
124BL- 5	124BL-51 ✓		326	2 24 ✓	15.305 ✓	12.694	0	-8.550	0	-131381.236	-69128.694	124BL-51
124BL-51	124BL-52 ✓	180 0 0	326	2 24 ✓	14.255 ✓	11.823	1	-7.963	0	-131369.412	-69136.657	124BL-52
124BL-52	124BL-53 ✓	180 0 0	326	2 24 ✓	13.018 ✓	10.797	0	-7.272	0	-131358.615	-69143.929	124BL-53
124BL-53	124BL-54 ✓	180 0 0	326	2 24 ✓	14.464 ✓	11.997	0	-8.080	1	-131346.618	-69152.008	124BL-54
124BL-54	124BL-55 ✓	180 0 0	326	2 24 ✓	13.598 ✓	11.279	0	-7.596	0	-131335.339	-69159.604	124BL-55

*** ケツコウ トラハ-入 ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
124BL-55	124BL-6 ✓	180 0 0		326 2 24 ✓	6.095 ✓	5.055	0	-3.405	0	-131330.284	-69163.009	124BL-6
	TOTAL..	900 0 0			76.735 ✓	63.645	1 ✓	-42.866	1 ✓			
	124BL-9 ✓									-131323.931	-69166.987	124BL-9
124BL-9	124BL-56 ✓			331 35 14 ✓	1.654 ✓	1.455	0	-0.787	0	-131322.476	-69167.774	124BL-56
124BL-56	124BL-10 ✓	180 0 0		331 35 14 ✓	0.843 ✓	0.741	0	-0.401	0	-131321.735	-69168.175	124BL-10
	TOTAL..	180 0 0			2.497 ✓	2.196	0 ✓	-1.188	0 ✓			
	124BL-14 ✓									-131312.632	-69172.292	124BL-14
124BL-14	124BL-57 ✓			339 51 44 ✓	0.945 ✓	0.887	0	-0.325	0	-131311.745	-69172.617	124BL-57
124BL-57	124BL-15 ✓	180 0 0		339 51 44 ✓	1.556 ✓	1.461	0	-0.536	0	-131310.284	-69173.153	124BL-15
	TOTAL..	180 0 0			2.501 ✓	2.348	0 ✓	-0.861	0 ✓			
	124BL-20 ✓									-131298.213	-69176.324	124BL-20
124BL-20	124BL-58 ✓			351 9 22 ✓	1.102 ✓	1.089	0	-0.169	0	-131297.124	-69176.493	124BL-58
124BL-58	124BL-21 ✓	180 0 0		351 9 22 ✓	1.396 ✓	1.379	0	-0.215	0	-131295.745	-69176.708	124BL-21
	TOTAL..	180 0 0			2.498 ✓	2.468	0 ✓	-0.384	0 ✓			
	124BL-24 ✓									-131288.294	-69177.527	124BL-24
124BL-24	124BL-59 ✓			357 1 20 ✓	1.164 ✓	1.162	0	-0.060	0	-131287.132	-69177.587	124BL-59
124BL-59	124BL-25 ✓	180 0 0		357 1 20 ✓	1.338 ✓	1.336	1	-0.070	0	-131285.795	-69177.657	124BL-25
	TOTAL..	180 0 0			2.502 ✓	2.498	1 ✓	-0.130	0 ✓			
	124BL-28 ✓									-131278.463	-69177.616	124BL-28

*** ケツコウ トラハ"-入 ***

チクメイ ... ミヤコタチク トチクカクセイリシキ"ヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
124BL-28	124BL-60 ✓			3 0 41 ✓	2.773 ✓	2.769	0	0.146	0	-131275.694	-69177.470	124BL-60
124BL-60	124BL-61 ✓	180 0 0		3 0 41 ✓	15.416 ✓	15.395	0	0.810	0	-131260.299	-69176.660	124BL-61
124BL-61	124BL-29 ✓	180 0 0		3 0 41 ✓	11.296 ✓	11.280	0	0.593	0	-131249.019	-69176.067	124BL-29
	TOTAL..	360 0 0			29.485 ✓	29.444	0 ✓	1.549	0 ✓			
	124BL-30 ✓									-131245.315	-69179.403	124BL-30
124BL-30	124BL-62 ✓			273 0 5 ✓	16.172 ✓	0.847	0	-16.150	0	-131244.468	-69195.553	124BL-62
124BL-62	124BL-1 ✓	180 0 0		273 0 5 ✓	16.734 ✓	0.876	0	-16.711	0	-131243.592	-69212.264	124BL-1
	TOTAL..	180 0 0			32.906 ✓	1.723	0 ✓	-32.861	0 ✓			
	124BL-62 ✓									-131244.468	-69195.553	124BL-62
124BL-62	124BL-63 ✓			183 6 13 ✓	15.263 ✓	-15.241	0	-0.826	0	-131259.709	-69196.379	124BL-63
124BL-63	124BL-64 ✓	180 0 0		183 6 13 ✓	14.959 ✓	-14.937	0	-0.810	0	-131274.646	-69197.189	124BL-64
124BL-64	124BL-66 ✓	180 0 0		183 6 13 ✓	14.495 ✓	-14.474	0	-0.785	0	-131289.120	-69197.974	124BL-66
	TOTAL..	360 0 0			44.717 ✓	-44.652	0 ✓	-2.421	0 ✓			
	124BL-62 ✓									-131244.468	-69195.553	124BL-62
124BL-62	124BL-63 ✓			183 6 13 ✓	15.263 ✓	-15.241	0	-0.826	0	-131259.709	-69196.379	124BL-63
124BL-63	124BL-65 ✓	180 0 0		183 6 13 ✓	17.648 ✓	-17.622	0	-0.955	-1	-131277.331	-69197.335	124BL-65
124BL-65	124BL-66 ✓	180 0 0		183 6 13 ✓	11.806 ✓	-11.789	0	-0.639	0	-131289.120	-69197.974	124BL-66
	TOTAL..	360 0 0			44.717 ✓	-44.652	0 ✓	-2.420	-1 ✓			
	124BL-62 ✓									-131244.468	-69195.553	124BL-62
124BL-62	124BL-63 ✓			183 6 13 ✓	15.263 ✓	-15.241	0	-0.826	0	-131259.709	-69196.379	124BL-63

*** ケツコウ トラハース ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	N.O.
124BL-63	124BL-64 ✓	180 0 0		183 6 13 ✓	14.959 ✓	-14.937	0	-0.810	0	-131274.646	-69197.189	124BL-64
124BL-64	124BL-65 ✓	180 0 0		183 6 13 ✓	2.689 ✓	-2.685	0	-0.146	0	-131277.331	-69197.335	124BL-65
124BL-65	124BL-66 ✓	180 0 0		183 6 13 ✓	11.806 ✓	-11.789	0	-0.639	0	-131289.120	-69197.974	124BL-66
	TOTAL..	540 0 0			44.717 ✓	-44.652	0 ✓	-2.421	0 ✓			
	124BL-41 ✓									-131259.103	-69216.614	124BL-41
124BL-41	124BL-63 ✓			91 42 53 ✓	20.244 ✓	-0.606	0	20.235	0	-131259.709	-69196.379	124BL-63
124BL-63	124BL-61 ✓	180 0 0		91 42 53 ✓	19.728 ✓	-0.590	0	19.719	0	-131260.299	-69176.660	124BL-61
	TOTAL..	180 0 0			39.972 ✓	-1.196	0 ✓	39.954	0 ✓			
	124BL-3 ✓									-131291.103	-69218.314	124BL-3
124BL-3	124BL-66 ✓			84 25 52 ✓	20.436 ✓	1.983	0	20.340	0	-131289.120	-69197.974	124BL-66
124BL-66	124BL-59 ✓	180 0 0		84 25 52 ✓	20.484 ✓	1.988	0	20.387	0	-131287.132	-69177.587	124BL-59
	TOTAL..	180 0 0			40.920 ✓	3.971	0 ✓	40.727	0 ✓			