


略 図

街区面積 = 25977.111^m
 画地面積 = 25977.111^m



不二測量株式会社

街区点番号 1 ~ 13³ 筆界点番号 21 ~ 34⁴ 画地番号 (1) ~ (8)⁵

*** メンセキ ケイザン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO... 66BL

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フ"メンセキ
66BL- 9	66BL- 1,		181 16 33						-131050.122	-69016.792			
66BL- 1	66BL- 2,	136 29 17	137 45 50,	5.015,	-3.713	0	3.371	0	-131053.835	-69013.421	2.641	-9.806033	
66BL- 2	66BL- 3,	135 18 36	93 4 26,	53.445,	-2.866	0	53.368	0	-131056.701	-68960.053	59.380	-170.183080	
66BL- 3	66BL- 4,	142 28 45	55 33 11,	4.977,	2.815	0	4.104	0	-131053.886	-68955.949	116.852	328.938380	
66BL- 4	66BL- 5,	141 5 57	16 39 8,	34.031,	32.604	0	9.752	0	-131021.282	-68946.197	130.708	4261.603632	
66BL- 5	66BL- 6,	127 22 58	324 2 6,	5.003,	4.049	0	-2.938	0	-131017.233	-68949.135	137.522	556.826578	
66BL- 6	66BL- 7,	129 5 24	273 7 30,	12.143,	0.662	0	-12.125	0	-131016.571	-68961.260	122.459	81.067858	
66BL- 7	66BL- 8,	179 54 52	273 2 22,	51.317,	2.721	0	-51.245	0	-131013.850	-69012.505	59.089	160.781169	
66BL- 8	66BL- 9,	132 26 52	225 29 14,	4.988,	-3.497	0	-3.557	0	-131017.347	-69016.062	4.287	-14.991639	
66BL- 9	66BL- 1,	135 47 19	181 16 33,	32.783,	-32.775	0	-0.730	0	-131050.122	-69016.792	0.000	0.000000	
TOTAL..	ソツカク入= 9	1260	0 0	203.702	0.000	0	0.000	0			ハ"イメンセキ=	5194.236865	
											1/2=	2597.11	+0.00
											メンセキ=	2597.11,	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO... 66BL(1)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブ"メンセキ
66BL- 9	66BL-28✓		181 16 33						-131033.650	-69016.425			
66BL-28	66BL-29✓	91 47 53	93 4 26✓	10.991✓	-0.589	0	10.975	0	-131034.239	-69005.450	10.612	-6.250468	
66BL-29	66BL-27✓	90 0 0	3 4 26✓	19.986✓	19.957	0	1.072	0	-131014.282	-69004.378	22.659	452.205663	
66BL-27	66BL- 8✓	89 57 56	273 2 22✓	8.138✓	0.432	0	-8.127	0	-131013.850	-69012.505	15.604	6.740928	
66BL- 8	66BL- 9✓	132 26 52	225 29 14✓	4.988✓	-3.497	0	-3.557	0	-131017.347	-69016.062	3.920	-13.708240	
66BL- 9	66BL-28✓	135 47 19	181 16 33✓	16.307✓	-16.303	0	-0.363	0	-131033.650	-69016.425	0.000	0.000000	
TOTAL..	ソツカクスク= 5	540 0 0		60.410	0.000	0✓	0.000	0✓			ハ"イメ"セキ=	438.987883	
											1/2=	219.49	+0.00
											メ"セキ=	219.49✓	

セリ NO... 66BL(2)✓

66BL-27	66BL-29✓		183 4 26						-131034.239	-69005.450			
66BL-29	66BL-33✓	90 0 0	93 4 26✓	13.888✓	-0.745	0	13.868	-1	-131034.984	-68991.583	12.795	-9.532275	
66BL-33	66BL-26✓	90 0 0	3 4 26✓	19.995✓	19.966	0	1.072	1	-131015.018	-68990.510	27.735	553.757010	
66BL-26	66BL-27✓	89 57 56	273 2 22✓	13.888✓	0.736	0	-13.868	0	-131014.282	-69004.378	14.940	10.995840	
66BL-27	66BL-29✓	90 2 4	183 4 26✓	19.986✓	-19.957	0	-1.072	0	-131034.239	-69005.450	0.000	0.000000	
TOTAL..	ソツカクスク= 4	360 0 0		67.757	0.000	0✓	0.000	0✓			ハ"イメ"セキ=	555.220575	
											1/2=	277.61	+0.00
											メ"セキ=	277.61✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO... 66BL(3)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フ"メンセキ
66BL-26	66BL-33✓		183 4 26						-131034.984	-68991.583			
66BL-33	66BL-25✓	90 0 0	93 4 26✓	40.693✓	-2.182	0	40.634	1	-131037.166	-68950.948	39.562	-86.324284	
66BL-25	66BL- 5✓	103 34 42	16 39 8✓	16.579✓	15.884	0	4.751	0	-131021.282	-68946.197	84.948	1349.314032	
66BL- 5	66BL- 6✓	127 22 58	324 2 6✓	5.003✓	4.049	0	-2.938	0	-131017.233	-68949.135	86.761	351.295289	
66BL- 6	66BL- 7✓	129 5 24	273 7 30✓	12.143✓	0.662	0	-12.125	0	-131016.571	-68961.260	71.698	47.464076	
66BL- 7	66BL-26✓	179 54 52	273 2 22✓	29.291✓	1.553	0	-29.250	0	-131015.018	-68990.510	30.323	47.091619	
66BL-26	66BL-33✓	90 2 4	183 4 26✓	19.995✓	-19.966	0	-1.072	-1	-131034.984	-68991.583	0.000	0.000000	
TOTAL..	ソツカクスウ= 6	720 0 0		123.704	0.000	0✓	0.000	0✓			ハ"イオウキ=	1708.840732	
											1/2=	854.42	+0.00
											メンセキ=	854.42✓	

セリ NO... 66BL(4)✓

66BL-34	66BL-24✓		183 4 26						-131056.295	-68967.611			
66BL-24	66BL- 3✓	90 0 0	93 4 26✓	7.569✓	-0.406	0	7.558	0	-131056.701	-68960.053	6.485	-2.632910	
66BL- 3	66BL- 4✓	142 28 45	55 33 11✓	4.977✓	2.815	0	4.104	0	-131053.886	-68955.949	18.147	51.083805	
66BL- 4	66BL-25✓	141 5 57	16 39 8✓	17.452✓	16.720	0	5.001	0	-131037.166	-68950.948	27.252	455.653440	
66BL-25	66BL-34✓	76 25 18	273 4 26✓	15.613✓	0.837	0	-15.591	1	-131036.329	-68966.538	16.663	13.946931	
66BL-34	66BL-24✓	90 0 0	183 4 26✓	19.996✓	-19.967	1	-1.072	-1	-131056.295	-68967.611	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540 0 0		65.607	-0.001	1✓	0.000	0✓			ハ"イオウキ=	518.051266	
											1/2=	259.02	+0.00
											メンセキ=	259.02✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

レイリ NO... 66BL(5)✓

NO.	NO.	ANGLE	AZIMUTH			LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブ"メンセキ
66BL-32	66BL-23✓		183	4	26						-131054.846	-68994.603			
66BL-23	66BL-24✓	90 0 0	93	4	26✓	27.030✓	-1.449	0	26.991	1	-131056.295	-68967.611	25.919	-37.556631	
66BL-24	66BL-34✓	90 0 0	3	4	26✓	19.996✓	19.967	-1	1.072	1	-131036.329	-68966.538	53.984	1077.844544	
66BL-34	66BL-32✓	90 0 0	273	4	26✓	27.030✓	1.449	1	-26.991	-1	-131034.879	-68993.530	28.065	40.694250	
66BL-32	66BL-23✓	90 0 0	183	4	26✓	19.996✓	-19.967	0	-1.072	-1	-131054.846	-68994.603	0.000	0.000000	
TOTAL..	ソツカク入ウ= 4	360 0 0				94.052	0.000	0✓	0.000	0✓			ハ"イメ"セキ=	1080.982163	
													1/2=	540.49	+0.00
													メ"セキ=	540.49✓	

レイリ NO... 66BL(6)✓

66BL-31	66BL-22✓		183	4	26						-131054.332	-69004.183			
66BL-22	66BL-23✓	90 0 0	93	4	26✓	9.595✓	-0.515	1	9.581	-1	-131054.846	-68994.603	8.508	-4.373112	
66BL-23	66BL-32✓	90 0 0	3	4	26✓	19.996✓	19.967	0	1.072	1	-131034.879	-68993.530	19.161	382.587687	
66BL-32	66BL-31✓	90 0 0	273	4	26✓	9.595✓	0.515	-1	-9.581	0	-131034.365	-69003.111	10.653	5.475642	
66BL-31	66BL-22✓	90 0 0	183	4	26✓	19.996✓	-19.967	0	-1.072	0	-131054.332	-69004.183	0.000	0.000000	
TOTAL..	ソツカク入ウ= 4	360 0 0				59.182	0.000	0✓	0.000	0✓			ハ"イメ"セキ=	383.690217	
													1/2=	191.84	+0.00
													メ"セキ=	191.84✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO... 66BL(7)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フ"メンセキ
66BL-30	66BL-21✓		183 4 26						-131054.213	-69006.393			
66BL-21	66BL-22✓	90 0 0	93 4 26✓	2.213✓	-0.119	0	2.210	0	-131054.332	-69004.183	1.138	-0.135422	
66BL-22	66BL-31✓	90 0 0	3 4 26✓	19.996✓	19.967	0	1.072	0	-131034.365	-69003.111	4.420	88.254140	
66BL-31	66BL-30✓	90 0 0	273 4 26✓	2.213✓	0.119	0	-2.210	0	-131034.246	-69005.321	3.282	0.390558	
66BL-30	66BL-21✓	90 0 0	183 4 26✓	19.996✓	-19.967	0	-1.072	0	-131054.213	-69006.393	0.000	0.000000	
TOTAL..	ソツカク入= 4	360 0 0		44.418✓	0.000	0✓	0.000	0✓			ハ"イメツセキ=	88.509276	
											1/2=	44.25	+0.00
											メツセキ=	44.25✓	

セリ NO... 66BL(8)✓

66BL-28	66BL- 1✓		181 16 33						-131050.122	-69016.792			
66BL- 1	66BL- 2✓	136 29 17	137 45 50✓	5.015✓	-3.713	0	3.371	0	-131053.835	-69013.421	3.004	-11.153852	
66BL- 2	66BL-21✓	135 18 36	93 4 26✓	7.038✓	-0.377	-1	7.028	0	-131054.213	-69006.393	13.403	-5.066334	
66BL-21	66BL-30✓	90 0 0	3 4 26✓	19.996✓	19.967	0	1.072	0	-131034.246	-69005.321	21.503	429.350401	
66BL-30	66BL-28✓	90 0 0	273 4 26✓	11.121✓	0.596	0	-11.105	1	-131033.650	-69016.425	11.471	6.836716	
66BL-28	66BL- 1✓	88 12 7	181 16 33✓	16.476✓	-16.472	0	-0.367	0	-131050.122	-69016.792	0.000	0.000000	
TOTAL..	ソツカク入= 5	540 0 0		59.646	0.001	-1✓	-0.001	1✓			ハ"イメツセキ=	419.966931	
											1/2=	209.98	+0.00
											メツセキ=	209.98✓	

*** ケツコウ トラハース ***

チクメイ ... ミヤコタチク トチクカクセイリシキキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
	66BL- 2 ✓									-131053.835	-69013.421	66BL- 2
66BL- 2	66BL-21 ✓			93 4 26 ✓	7.038 ✓	-0.377	-1	7.028	0	-131054.213	-69006.393	66BL-21
66BL-21	66BL-22 ✓	180 0 0		93 4 26 ✓	2.213 ✓	-0.119	0	2.210	0	-131054.332	-69004.183	66BL- 22
66BL-22	66BL-23 ✓	180 0 0		93 4 26 ✓	9.595 ✓	-0.515	1	9.581	-1	-131054.846	-68994.603	66BL-23
66BL-23	66BL-24 ✓	180 0 0		93 4 26 ✓	27.030 ✓	-1.449	0	26.991	1	-131056.295	-68967.611	66BL- 24
66BL-24	66BL- 3 ✓	180 0 0		93 4 26 ✓	7.569 ✓	-0.406	0	7.558	0	-131056.701	-68960.053	66BL- 3
	TOTAL..	720 0 0			53.445 ✓	-2.866	0 ✓	53.368	0 ✓			
	66BL- 4 ✓									-131053.886	-68955.949	66BL- 4
66BL- 4	66BL-25 ✓			16 39 8 ✓	17.452 ✓	16.720	0	5.001	0	-131037.166	-68950.948	66BL-25
66BL-25	66BL- 5 ✓	180 0 0		16 39 8 ✓	16.579 ✓	15.884	0	4.751	0	-131021.282	-68946.197	66BL- 5
	TOTAL..	180 0 0			34.031 ✓	32.604	0 ✓	9.752	0 ✓			
	66BL- 7 ✓									-131016.571	-68961.260	66BL- 7
66BL- 7	66BL-26 ✓			273 2 22 ✓	29.291 ✓	1.553	0	-29.250	0	-131015.018	-68990.510	66BL-26
66BL-26	66BL-27 ✓	180 0 0		273 2 22 ✓	13.888 ✓	0.736	0	-13.868	0	-131014.282	-69004.378	66BL-27
66BL-27	66BL- 8 ✓	180 0 0		273 2 22 ✓	8.138 ✓	0.432	0	-8.127	0	-131013.850	-69012.505	66BL- 8
	TOTAL..	360 0 0			51.317 ✓	2.721	0 ✓	-51.245	0 ✓			
	66BL- 9 ✓									-131017.347	-69016.062	66BL- 9
66BL- 9	66BL-28 ✓			181 16 33 ✓	16.307 ✓	-16.303	0	-0.363	0	-131033.650	-69016.425	66BL-28
66BL-28	66BL- 1 ✓	180 0 0		181 16 33 ✓	16.476 ✓	-16.472	0	-0.367	0	-131050.122	-69016.792	66BL- 1
	TOTAL..	180 0 0			32.783 ✓	-32.775	0 ✓	-0.730	0 ✓			

*** ケツコウ トラハース ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
	66BL-28✓									-131033.650	-69016.425	66BL-28
66BL-28	66BL-29✓			93 4 26✓	10.991✓	-0.589	0	10.975	0	-131034.239	-69005.450	66BL-29
66BL-29	66BL-33✓	180 0 0		93 4 26✓	13.888✓	-0.745	0	13.868	-1	-131034.984	-68991.583	66BL-33
66BL-33	66BL-25✓	180 0 0		93 4 26✓	40.693✓	-2.182	0	40.634	1	-131037.166	-68950.948	66BL-25
	TOTAL..	360 0 0			65.572✓	-3.516	0✓	65.477	0✓			
	66BL-28✓									-131033.650	-69016.425	66BL-28
66BL-28	66BL-30✓			93 4 26✓	11.121✓	-0.596	0	11.105	-1	-131034.246	-69005.321	66BL-30
66BL-30	66BL-31✓	180 0 0		93 4 26✓	2.213✓	-0.119	0	2.210	0	-131034.365	-69003.111	66BL-31
66BL-31	66BL-32✓	180 0 0		93 4 26✓	9.595✓	-0.515	1	9.581	0	-131034.879	-68993.530	66BL-32
66BL-32	66BL-34✓	180 0 0		93 4 26✓	27.030✓	-1.449	-1	26.991	1	-131036.329	-68966.538	66BL-34
66BL-34	66BL-25✓	180 0 0		93 4 26✓	15.613✓	-0.837	0	15.591	-1	-131037.166	-68950.948	66BL-25
	TOTAL..	720 0 0			65.572✓	-3.516	0✓	65.478	-1✓			
	66BL-28✓									-131033.650	-69016.425	66BL-28
66BL-28	66BL-29✓			93 4 26✓	10.991✓	-0.589	0	10.975	0	-131034.239	-69005.450	66BL-29
66BL-29	66BL-30✓	180 0 0		93 4 26✓	0.130✓	-0.007	0	0.130	-1	-131034.246	-69005.321	66BL-30
66BL-30	66BL-31✓	180 0 0		93 4 26✓	2.213✓	-0.119	0	2.210	0	-131034.365	-69003.111	66BL-31
66BL-31	66BL-32✓	180 0 0		93 4 26✓	9.595✓	-0.515	1	9.581	0	-131034.879	-68993.530	66BL-32
66BL-32	66BL-33✓	180 0 0		93 4 26✓	1.950✓	-0.105	0	1.947	0	-131034.984	-68991.583	66BL-33
66BL-33	66BL-34✓	180 0 0		93 4 26✓	25.080✓	-1.345	0	25.044	1	-131036.329	-68966.538	66BL-34
66BL-34	66BL-25✓	180 0 0		93 4 26✓	15.613✓	-0.837	0	15.591	-1	-131037.166	-68950.948	66BL-25
	TOTAL..	1080 0 0			65.572✓	-3.517	1✓	65.478	-1✓			