

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|---|--------------------------------|-------|------------------------|--------|--|------------------------|--|
| Sengen Elementary School | North Building | Naka | 2-12-1 Nishiasada | 3 | 3rd floor corridors and special classrooms | 135 | Locked on holidays and overnight |
| Sengen Elementary School | South Building | Naka | 2-12-1 Nishiasada | 3 | 3rd floor corridors and general classrooms | 603 | Locked on holidays and overnight |
| Kosai Junior High School | South Building | Naka | 123 Kamidamachi | 3 | 3rd floor general and special classrooms, corridors | 582 | Locked on holidays and overnight |
| Hamabo Corporation | Hamamatsu Main Office Building | Naka | 1195 Kamidamachi | 4 | 3rd floor rooftop, 4th floor (cafeteria, break room, storeroom) | 225 | Automatically unlocks after earthquakes of Intensity 4 or above |
| Comfor | | Nishi | 5215 Shitoro-cho | 3 | 3rd floor walkways | 18 | |
| Menuett I | | Nishi | 5234 Shitoro-cho | 4 | 3rd-4th floor walkways | 14 | |
| Comfort Shitoro | | Nishi | 5340 Shitoro-cho | 4 | 3rd-4th floor, walkways stair landings | 12 | |
| Shinohara Elementary School | North Building | Nishi | 10300 Shinohara-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 1,661 | Locked at night and on holidays |
| Florence | | Nishi | 1144-18 Shinohara-cho | 4 | 3rd-4th floor walkways, 4th floor conversation lounge | 269 | |
| Chusan Building | | Nishi | 14171 Shinohara-cho | 5 | 3rd-5th floor walkways, rooftop | 106 | |
| Shinohara Care Home | | Nishi | 18345-28 Shinohara-cho | 4 | 3rd-4th floor walkways, veranda, rooftop | 978 | |
| Shinohara Junior High School | South Building | Nishi | 20200-1 Shinohara-cho | 3 | 3rd floor general classrooms, special classrooms, corridors rooftop | 1,423 | Locked at night and on holidays |
| Otto Andare | | Nishi | 21581 Shinohara-cho | 4 | 3rd-4th floor walkways | 30 | |
| Furuhashi Hironoshin Memorial Hamamatsu Swimming Center ToBiO | | Nishi | 23982-1 Shinohara-cho | 2 | Hall, gym, studio, gallery, etc. | 3,467 | Locked at night and on holidays |
| Seibu Garbage Disposal Plant | Plant Building | Nishi | 26098-1 Shinohara-cho | 5 | 3rd-4th floor north and east side observation areas (2 locations) | 325 | Locked at night and on holidays |
| Seibu Garbage Disposal Plant | Management Building | Nishi | 26098-1 Shinohara-cho | 3 | 3rd floor EV Hall section, connecting corridors | 73 | Locked at night and on holidays |
| Grand XIV Hamanako | | Nishi | 4620 Murakushi-cho | 8 | 3rd - 8th floor guestroom corridors, 3rd floor backyard, corridors, staff dining hall, and rooftop (smoking area); | 2,100 | |
| Grand XIV Staff Dorm | | Nishi | 4671-1 Murakushi-cho | 4 | 3rd-4th floor walkways | 160 | |
| You-I Heights | | Nishi | 531-1 Tsuboi-cho | 3 | 3rd floor walkways | 13 | |
| St. Nine | | Nishi | 876 Tsuboi-cho | 3 | 3rd floor walkways | 11 | |
| Curacion | | Nishi | 10634-1 Irino-cho | 3 | 3rd floor walkways | 32 | |
| Palace Kawaguchi | | Nishi | 14116-1 Irino-cho | 3 | 3rd floor walkways | 20 | |
| Maison Frontosa | | Nishi | 9727-2 Irino-cho | 5 | 3rd-5th floor walkways | 75 | |
| Maison Turquoise | | Nishi | 9737 Irino-cho | 4 | 3rd - 4th floor stair landings | 14 | |
| Hamamatsu Konan High School | General Classrooms Building | Nishi | 3791-1 Magori-cho | 3 | 3rd floor general classrooms, rooftop | 1,194 | |
| Nishi Fire Station | | Nishi | 4074-1 Magori-cho | 2 | Rooftop | 62 | Normally locked, but will be opened when evacuation is necessary |
| Shinmachi Tsunami Evacuation Tower | | Nishi | 27 Maisaka-cho | | | 105 | |
| Nishimachi Tsunami Evacuation Tower | | Nishi | 2100 Maisaka-cho | | | 105 | |
| Maisaka Dai-ni Nursery School | | Nishi | 2659-3 Maisaka-cho | 2 | Rooftop | 234 | Locked at night and on holidays |
| Sunamachi Tsunami Evacuation Tower | | Nishi | 2668-201 Maisaka-cho | | | 150 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|--|----------------|-------|-----------------------------------|--------|--|------------------------|---------------------------------|
| Municipal Hamaomote No. 2 Apartment Complex | Block B | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 345 | Entry: kick down panel |
| Municipal Hamaomote No. 2 Apartment Complex | Block C | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 360 | Entry: kick down panel |
| Municipal Hamaomote No. 2 Apartment Complex | Block D | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 360 | Entry: kick down panel |
| Municipal Hamaomote No. 2 Apartment Complex | Block E | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 360 | Entry: kick down panel |
| Municipal Hamaomote No. 2 Apartment Complex | Block F | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 360 | Entry: kick down panel |
| Municipal Hamaomote No. 2 Apartment Complex | Block G | Nishi | 2668-238 Maisaka-cho | 3 | Rooftop | 345 | Entry: kick down panel |
| Maisaka Community Collaboration Center | | Nishi | 2701-9 Maisaka-cho Maisaka | 4 | 3rd floor: entire floor except disaster prevention radio room & disaster countermeasure room; 4th floor: entire floor | 1,952 | Locked at night |
| Maisaka Junior High School | | Nishi | 4601 Maisaka-cho Maisaka | 3 | 3rd floor general classrooms, special classrooms, corridors and rooftop | 1,569 | Locked at night and on holidays |
| Municipal Imagire Apartment Complex | B | Nishi | 4602 Maisaka-cho | 4 | Staircase landings, rooftop | 426 | Entry: kick down panel |
| Municipal Imagire Apartment Complex | C | Nishi | 4602 Maisaka-cho | 3 | Staircase landings, rooftop | 395 | Entry: kick down panel |
| Municipal Imagire Apartment Complex | A | Nishi | 4602 Maisaka-cho | 4 | Staircase landings, rooftop | 417 | Entry: kick down panel |
| Nagaike Tsunami Evacuation Tower | | Nishi | 5464 Maisaka-cho | | | 102 | |
| Maisaka Community Disaster Prevention Center | | Nishi | 601-8 Maisaka-cho | 2 | Rooftop | 182 | Entry: kick down panel |
| Maisaka Elementary School | West Building | Nishi | 76 Maisaka-cho Maisaka | 3 | 3rd floor special classrooms and corridors, rooftop | 951 | Locked at night and on holidays |
| Maisaka Elementary School | South Building | Nishi | 76 Maisaka-cho Maisaka | 3 | 3rd floor general classrooms, special classrooms, corridors, and rooftop | 2,928 | Locked at night and on holidays |
| Municipal Fukiage No. 3 Apartment Complex | A | Nishi | 808 Maisaka-cho | 4 | 3rd and 4th floor staircase landings, rooftop | 212 | Entry: kick down panel |
| Bentenjima Disaster Prevention Center | | Nishi | 2733-1 Maisaka-cho | 2 | Rooftop | 186 | Entry: kick down panel |
| Bentenjima Building | | Nishi | 2742 Maisaka-cho | 4 | 2nd-3rd floor corridors, staircase landings | 210 | |
| Suzuki Motor Co. Training Center (Kangetsuen) | | Nishi | 2925-1 Maisaka-cho | 3 | 2nd and 3rd floor corridors, stairs, staircase landings | 360 | |
| Bentenjima Tsunami Evacuation Tower | | Nishi | 3212-10 Maisaka-cho | | | 150 | |
| HAMANAKO BENTEN RESORT THE OCEAN | | Nishi | 3285-88 Maisaka-cho Bentenjima | 13 | 4th floor machine room (outdoor), 5th floor terrace, 13th floor terrace, and rooftop | 1,160 | |
| ARCO Hamanako Crescent 21 | | Nishi | 3371-2 Maisaka-cho | 8 | 3rd-7th floor corridors, entire 8th floor | 717 | |
| Mahora Maisaka | | Nishi | 3481-26 Maisaka-cho | 3 | 2nd floor rooftop | 510 | |
| Sunlake Mihama | | Nishi | 3802 Maisaka-cho | 4 | Rooftop | 121 | |
| Ichiben Community Center | | Nishi | 3888-2 Maisaka-cho | 2 | 2nd floor, rooftop | 190 | |
| Shizuoka Pref. Research Institute of Fishery (Wotto) | | Nishi | 5005-1 Maisaka-cho | 2 | 2nd floor portion, open deck, observation deck | 676 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|--|--|--------|-------------------------------|--------|--|------------------------|---------------------------------|
| Asteion I | | Nishi | 1-17-34 Yuto | 4 | 3rd-4th floor walkways | 80 | |
| Nishi Ward Office | | Nishi | 1-31-1 Yuto | 3 | Rooftop, corridors, EV Hall, lounge, meeting room, etc. | 1,370 | |
| Crest Stage Park Homes | | Nishi | 3339-1 Yuto-cho | 10 | 3rd-10 th floor walkways | 1,437 | |
| Cosmos B | | Nishi | 4863-331 Yuto-cho Ubumi | 3 | 3rd floor walkways | 15 | |
| Ferio | | Nishi | 4863-4 Yuto-cho | 5 | Two 5th floor offices, rooftop | 190 | |
| Municipal Ryoke Apartment Complex | | Nishi | 4874-5 Yuto-cho | 4 | Staircase landings | 23 | |
| Cosmos A | | Nishi | 4959-3 Yuto-cho | 3 | 3rd floor walkways | 15 | |
| Yuto Culture Center | Large Hall, Culture Building | Nishi | 5427 Yuto-cho Ubumi | 3 | 8 rooms (small, medium, large, and special conference rooms, room 301 & 302, general affairs room 1 & 2), walkways | 649 | Locked at night |
| Yuto Elementary School | Administrative and Classrooms Building | Nishi | 7997-1 Yuto-cho Ubumi | 3 | 3rd floor general classrooms, special and classrooms corridors | 1,531 | Locked at night and on holidays |
| Yuto Elementary School | North Building | Nishi | 7997-1 Yuto-cho Ubumi | 3 | 3rd floor general classrooms, special and classrooms, corridors | 621 | Locked at night and on holidays |
| Yuto Elementary School | South Building | Nishi | 7997-1 Yuto-cho Ubumi | 3 | 3rd floor general classrooms, special and classrooms, corridors | 621 | Locked at night and on holidays |
| Yuto Junior High School | North Building | Nishi | 9595 Yuto-cho Ubumi | 3 | 3rd floor special classrooms, and corridors | 989 | Locked at night and on holidays |
| Yuto Junior High School | Indoor Sports Field | Nishi | 9595 Yuto-cho Ubumi | 3 | Spectator seats and walkways | 400 | Locked at night and on holidays |
| Yuto Junior High School | South Building | Nishi | 9595 Yuto-cho Ubumi | 3 | 3rd floor general classrooms, special classrooms, and corridors | 1,172 | Locked at night and on holidays |
| Daiwa Resort Co. Ltd. THE HAMANAKO | | Nishi | 4396-1 Yuto-cho Yamazaki | 13 | Areas as instructed by hotel staff | - | |
| Village House Shinohara | Block 1 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Village House Shinohara | Block 2 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Village House Shinohara | Block 3 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Village House Shinohara | Block 4 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Village House Shinohara | Block 5 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Village House Shinohara | Block 6 | Nishi | 17276-2 Shinohara-cho | 4 | 3rd - 4th floor staircase landings and walkways | 122 | |
| Hamana Kindergarten | | Nishi | 76 Maisaka-cho | 2 | Rooftop | 257 | |
| Nakamachi Tsunami Evacuation Tower | | Nishi | 300-7 Maisaka-cho Chojushinde | | | 150 | |
| Magori-cho Tsunami Evacuation Tower | | Nishi | 5336 Magori-cho | | | 150 | |
| Bentenjima Park Tsunami Evacuation Mound | | Nishi | 3064-1 Maisaka-cho Bentenjima | | | 800 | |
| Chubu Water Purification Center | Sludge Treatment Building | Minami | 1825 Uriuchi-cho | 3 | Machine room, rooftop | 400 | |
| TC Mansion | | Minami | 197-1 Uriuchi-cho | 3 | 3rd floor walkways | 7 | |
| Herencia | | Minami | 203-1 Uriuchi-cho | 5 | 3rd-5th floor walkways | 82 | |
| Velmaison Iio | | Minami | 586 Uriuchi-cho | 3 | 3rd floor walkways | 11 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|---|-----------------|--------|---------------------|--------|--|------------------------|---------------------------------|
| Sukoyaka Melody | | Minami | 820 Uriuchi-cho | 4 | 3rd-4th floor walkways | 24 | |
| Sukoyaka March | | Minami | 911 Uriuchi-cho | 3 | 3rd floor walkways | 10 | |
| TKM | | Minami | 964-1 Uriuchi-cho | 3 | 3rd floor walkways | 13 | |
| Municipal Enshuhama Apartment Complex | Midori 4 | Minami | 1-23-2 Enshuhama | 9 | Indoor stairs, EV Hall | 208 | |
| Prefectural Enshuhama Apartment Complex | No. 1 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 34 | |
| Prefectural Enshuhama Apartment Complex | No. 2 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 26 | |
| Prefectural Enshuhama Apartment Complex | No. 3 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 34 | |
| Prefectural Enshuhama Apartment Complex | No. 5 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 34 | |
| Prefectural Enshuhama Apartment Complex | No. 7 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 34 | |
| Prefectural Enshuhama Apartment Complex | No. 10 Building | Minami | 1-11 Enshuhama | 4 | 3rd-4th floor stairs | 22 | |
| Municipal Enshuhama Apartment Complex | Hikari 3 | Minami | 1-1-1 Enshuhama | 4 | Staircase landings | 58 | |
| Municipal Enshuhama Apartment Complex | D1 | Minami | 1-15 Enshuhama | 4 | Staircase landings | 23 | |
| Municipal Enshuhama Apartment Complex | C4 | Minami | 1-16 Enshuhama | 4 | Staircase landings | 19 | |
| Municipal Enshuhama Apartment Complex | C3 | Minami | 1-17 Enshuhama | 4 | Staircase landings | 24 | |
| Municipal Enshuhama Apartment Complex | C2 | Minami | 1-18 Enshuhama | 4 | Staircase landings, rooftop | 205 | Entry: kick down panel |
| Municipal Enshuhama Apartment Complex | C1 | Minami | 1-19 Enshuhama | 4 | Staircase landings | 19 | |
| Municipal Enshuhama Apartment Complex | Hikari 8 | Minami | 1-2-1 Enshuhama | 4 | Staircase landings | 46 | |
| Municipal Enshuhama Apartment Complex | Midori 5 | Minami | 1-23-3 Enshuhama | 4 | 3rd-4th floor walkways | 72 | |
| Municipal Enshuhama Apartment Complex | Hikari 5 | Minami | 1-2-4 Enshuhama | 4 | Staircase landings | 35 | |
| Prefectural Enshuhama Apartment Complex | No. 14 Building | Minami | 3-1 Enshuhama | 6 | 3rd-6th floor stairs and corridors | 208 | |
| Prefectural Enshuhama Apartment Complex | No. 15 Building | Minami | 3-1 Enshuhama | 10 | 3rd - 10th floor stairs and elevator hall | 209 | |
| Prefectural Enshuhama Apartment Complex | No. 19 Building | Minami | 3-1 Enshuhama | 6 | 3rd-6th floor stairs and corridors | 195 | |
| Prefectural Enshuhama Apartment Complex | No. 21 Building | Minami | 3-1 Enshuhama | 10 | 3rd - 10th floor stairs and elevator hall | 206 | |
| Municipal Enshuhama Apartment Complex | C5 | Minami | 4-11 Enshuhama | 4 | Staircase landings | 19 | |
| Municipal Enshuhama Apartment Complex | D2 | Minami | 4-12 Enshuhama | 4 | Staircase landings | 23 | |
| Municipal Enshuhama Apartment Complex | Nami 8 | Minami | 4-15-1 Enshuhama | 6 | 3rd-6th floor walkways | 306 | |
| Municipal Enshuhama Apartment Complex | Nami 7 | Minami | 4-16-7 Enshuhama | 6 | 3rd-6th floor walkways, rooftop | 804 | Entry: kick down panel |
| Municipal Enshuhama Apartment Complex | C9 | Minami | 4-4 Enshuhama | 4 | Staircase landings | 13 | |
| Municipal Enshuhama Apartment Complex | C8 | Minami | 4-5 Enshuhama | 4 | Staircase landings | 13 | |
| Municipal Enshuhama Apartment Complex | C7 | Minami | 4-6 Enshuhama | 4 | Staircase landings | 13 | |
| Municipal Enshuhama Apartment Complex | C10 | Minami | 4-7 Enshuhama | 4 | Staircase landings | 13 | |
| Municipal Enshuhama Apartment Complex | C6 | Minami | 4-8 Enshuhama | 4 | Staircase landings | 19 | |
| Municipal Enshuhama Apartment Complex | D3 | Minami | 4-9 Enshuhama | 4 | Staircase landings | 23 | |
| CASAMARCO | | Minami | 2-28-10 Enshuhama | 3 | 3rd floor walkways | 24 | |
| (Former) Enshuhama Elementary School | | Minami | 2-9-1 Enshuhama | 4 | 3rd - 4th floor general classrooms, special classrooms, and corridors; rooftop | 2,675 | Always locked |
| Riverside Kunpu | | Minami | 70-1 Kawawa- | 3 | 3rd floor walkways | 35 | |
| Riverside Kawawa | | Minami | 72-2 Kawawa- | 4 | 3rd - 4th floor staircase landings | 8 | |
| Konan Junior High School | South Building | Minami | 1266-3 Enoshima-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors and rooftop | 2,437 | Locked at night and on holidays |
| Minami Ward Office | | Minami | 600-1 Enoshima-cho | 3 | Rooftop, 3rd floor hall | 1,229 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|--|----------------|--------|-----------------------|--------|---|------------------------|---------------------------------|
| Hamamatsu Welfare Partnership Center (Ensemble Enoshima) | | Minami | 600-1 Enoshima-cho | 6 | 3rd-6th floor: lobby and south and north corridors; 6th floor: entertainment room, meeting room, men's changing room, and men's shower room | 609 | Locked at night and on holidays |
| Hamamatsu Enoshima High School | South Building | Minami | 630-1 Enoshima-cho | 3 | 3rd floor general classrooms, rooftop | 715 | Entry: kick down panel |
| Aeris II | | Minami | 2384-3 Takatsuka-cho | 4 | 3rd floor walkways | 36 | |
| Harvest VII | | Minami | 4509-1 Takatsuka-cho | 5 | 3rd-5th floor walkways | 46 | |
| Kurabe Industrial Co. Ltd Head Office | | Minami | 4830 Takatsuka-cho | 3 | 3rd floor dining hall, rooftop | 689 | |
| Aeris | | Minami | 4835-1 Takatsuka-cho | 6 | 3rd-6th floor walkways | 179 | |
| Sanshin-cho Tsunami Evacuation Tower | | Minami | 43-1 Sanshin-cho | | | 150 | |
| Yamate Industry Corporation | | Minami | 515-1 Sanshin-cho | 3 | 3rd floor work floor | 1,943 | |
| Ensoleille | | Minami | 258 Mishima- | 3 | 3rd floor walkways | 21 | |
| Makinoki-kan Utari | | Minami | 338 Mishima- | 3 | 3rd floor walkways | 14 | |
| Casa Sanyu | | Minami | 491 Mishima- | 3 | 3rd floor walkways | 25 | |
| Tiffanynine | | Minami | 674-2 Mishima- | 3 | 3rd floor walkways | 18 | |
| Tiffanyone | | Minami | 674-3 Mishima- | 3 | 3rd floor walkways | 31 | |
| South Room Mishima | | Minami | 788-1 Mishima- | 3 | 3rd floor walkways | 12 | |
| Sukoyaka Duranty | | Minami | 95-1 Mishima- | 3 | 3rd floor walkways | 19 | |
| Prefectural Hogawa Apartment Complex | No. 1 Building | Minami | 391-1 Sanjino-cho | 4 | 3rd-4th floor stairs | 28 | |
| Prefectural Hogawa Apartment Complex | No. 2 Building | Minami | 391-1 Sanjino-cho | 4 | 3rd-4th floor stairs | 19 | |
| Prefectural Hogawa Apartment Complex | No. 3 Building | Minami | 391-1 Sanjino-cho | 4 | 3rd-4th floor stairs | 28 | |
| Corporate House Sunrise A | | Minami | 367 Terawaki- | 3 | 3rd floor walkways | 26 | |
| Corporate House Sunrise B | | Minami | 367 Terawaki- | 3 | 3rd floor walkways | 26 | |
| Southern House NANREI | | Minami | 399-2 Terawaki- | 3 | 3rd floor walkways | 27 | |
| Shirawaki Elementary School | North Building | Minami | 431 Terawaki-cho | 3 | 3rd floor general classrooms, special classrooms, corridors, and rooftop | 1,413 | Locked at night and on holidays |
| Shirawaki Elementary School | South Building | Minami | 431 Terawaki-cho | 3 | 3rd floor general classrooms, special classrooms, corridors, and rooftop | 1,326 | Locked at night and on holidays |
| Southern Town I | | Minami | 767 Terawaki- | 3 | 3rd floor walkways | 22 | |
| Southern Town II | | Minami | 769 Terawaki- | 3 | 3rd floor walkways | 22 | |
| Kami Elementary School | North Building | Minami | 1748 Wakabayashi-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors and rooftop | 1,864 | Locked at night and on holidays |
| Kami Elementary School | South Building | Minami | 1748 Wakabayashi-cho | 3 | 3rd floor general classrooms, special classrooms, corridors and rooftop | 1,819 | Locked at night and on holidays |
| Integra A | | Minami | 1154-1 Kozawatari-cho | 4 | Rooftop | 75 | |
| CasaCampana | | Minami | 1275-1 Kozawatari-cho | 3 | 3rd floor walkways | 13 | |
| Seikoen Special Nursing Home for the Elderly | | Minami | 1300-1 Kozawatari-cho | 4 | 3rd - 4th floor balcony, rooftop | 2,042 | |
| Municipal Kozawatari Apartment Complex | Chidori | Minami | 1363 Kozawatari-cho | 4 | Staircase landings | 14 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|--|----------------|--------|-----------------------|--------|---|------------------------|---------------------------------|
| Mikatahara Hospital Building B | | Minami | 2195-2 Kozawatari-cho | 4 | 3rd - 4th floor multipurpose hall, connecting corridors, meeting rooms, etc. | 458 | |
| Pelargos | | Minami | 753 Kozawatari-cho | 3 | 3rd floor walkways | 32 | |
| Maison M | | Minami | 1179 Nippashi- | 3 | 3rd floor walkways | 23 | |
| Cosmos Mansion | | Minami | 495 Nippashi- | 7 | 3rd-7th floor walkways | 72 | |
| Nippashi Tot Joy | | Minami | 678 Nippashi- | 3 | 3rd floor walkways, rooftop | 225 | |
| Aisance II | | Minami | 708-1 Nippashi- | 5 | 3rd-5th floor walkways | 44 | |
| Aisance | | Minami | 732 Nippashi- | 5 | 3rd-5th floor walkways | 85 | |
| Shinzu Junior High School | North Building | Minami | 748 Nippashi-cho | 3 | 3rd floor general classrooms, special classrooms, corridors, and rooftop | 762 | Locked at night and on holidays |
| Shinzu Junior High School | South Building | Minami | 748 Nippashi-cho | 3 | 3rd floor general classrooms, special classrooms, corridors, and rooftop | 1,120 | Locked at night and on holidays |
| Shinzu Elementary School | North Building | Minami | 777 Nippashi-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 1,403 | Locked at night and on holidays |
| Shinzu Elementary School | South Building | Minami | 777 Nippashi-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 1,725 | Locked at night and on holidays |
| Toyo Junior High School | North Building | Minami | 700 Nishi-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 1,122 | Locked at night and on holidays |
| Toyo Junior High School | South Building | Minami | 700 Nishi-cho | 3 | 3rd floor special classrooms, corridors, and rooftop | 1,524 | Locked at night and on holidays |
| Nishijima Ryo Special Nursing Home for the Elderly | | Minami | 101 Nishijima-cho | 3 | 3rd floor walkways | 215 | |
| Care House Nishijima | | Minami | 103 Nishijima-cho | 5 | 3rd - 5th floor conversation hall, rooftop | 652 | |
| Minaminohoshi Elementary School | | Minami | 1148-1 Nishijima-cho | 3 | 3rd - 4th floor general classrooms, special classrooms, corridors, and changing room; rooftop | 2,930 | Locked at night and on holidays |
| Minamikaze Special Nursing Home for the Elderly | | Minami | 593 Kuramatsu-cho | 3 | 3rd floor balcony, rooftop | 665 | |
| Kami Junior High School | South Building | Minami | 700 Zora-cho | 3 | 3rd floor general classrooms, special corridor, and rooftop | 1,862 | Locked at night and on holidays |
| Kami Junior High School | North Building | Minami | 700 Zora-cho | 4 | 3rd - 4th floor special classrooms, corridors, and rooftop | 2,316 | Locked at night and on holidays |
| Municipal Nakatajima Apartment Complex | C1 | Minami | 1372 Nakatajima-cho | 5 | Staircase landings, rooftop | 201 | Entry: kick down panel |
| Municipal Nakatajima Apartment Complex | C2 | Minami | 1656-2 Nakatajima-cho | 5 | Staircase landings | 33 | |
| Municipal Nakatajima Apartment Complex | C3 | Minami | 1656-2 Nakatajima-cho | 4 | Staircase landings | 20 | |
| Municipal Nakatajima Apartment Complex | C4 | Minami | 1656-2 Nakatajima-cho | 5 | Staircase landings | 33 | |
| Municipal Nakatajima Apartment Complex | C5 | Minami | 1656-2 Nakatajima-cho | 4 | Staircase landings | 20 | |
| Municipal Nakatajima Apartment Complex | C6 | Minami | 1656-2 Nakatajima-cho | 5 | Staircase landings | 33 | |
| Municipal Nakatajima Apartment Complex | C7 | Minami | 1656-2 Nakatajima-cho | 4 | Staircase landings | 20 | |
| Suzukake Central Hospital | | Minami | 120-1 Tajiri-cho | 6 | 3rd-6th floor walkways | 2,615 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|---|----------------|--------|---------------------|--------|--|------------------------|---------------------------------|
| Full of Life Sunaoka | | Minami | 1166-1 Tajiri-cho | 4 | 3rd-4th floor walkways, 4th floor Japanese room, 5th floor stretch | 140 | |
| Sunaokaryo No. 2 | | Minami | 1182 Tajiri-cho | 4 | 3rd-4th floor walkways, common rooms | 380 | |
| Maison Alta | | Minami | 77-1 Tsumori-cho | 3 | 3rd floor walkways | 26 | |
| Kawawa Elementary School | | Minami | 333 Higashimachi | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 1,684 | Locked at night and on holidays |
| Shirawaki Care Center | | Minami | 1424 Shirowa-cho | 4 | Rooftop | 435 | |
| Birdy Jr. | | Minami | 209-2 Shirowa-cho | 3 | 3rd floor walkways | 7 | |
| Coop Birdy | | Minami | 209-3 Shirowa-cho | 3 | 3rd floor walkways | 24 | |
| Municipal Nakatajima Apartment Complex | C8 | Minami | 2379-2 Shirowa-cho | 5 | Staircase landings, rooftop | 466 | Entry: kick down panel |
| Municipal Nakatajima Apartment Complex | C10 | Minami | 2379-2 Shirowa-cho | 5 | Staircase landings | 33 | |
| Municipal Nakatajima Apartment Complex | C11 | Minami | 2379-2 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | D9 | Minami | 2379-2 Shirowa-cho | 5 | Staircase landings | 35 | |
| Sunaoka Elementary School | | Minami | 2512 Shirowa-cho | 4 | 3rd - 4th floor general classrooms, special classrooms, corridors, and rooftop | 2,178 | Locked at night and on holidays |
| Yoshikawa Construction Employee Dormitory | | Minami | 2589-5 Shirowa-cho | 3 | Rooftop | 86 | |
| Hamamatsu Minami Hospital | | Minami | 26 Shirowa-cho | 6 | 5th floor, rooftop | 799 | |
| Municipal Nakatajima Apartment Complex | C28 | Minami | 2700-10 Shirowa-cho | 5 | Staircase landings | 53 | |
| Municipal Nakatajima Apartment Complex | C29 | Minami | 2700-10 Shirowa-cho | 5 | Staircase landings | 40 | |
| Municipal Nakatajima Apartment Complex | C30 | Minami | 2700-13 Shirowa-cho | 5 | Staircase landings | 40 | |
| Municipal Nakatajima Apartment Complex | C31 | Minami | 2700-13 Shirowa-cho | 5 | Staircase landings, rooftop | 360 | Entry: kick down panel |
| Municipal Nakatajima Apartment Complex | C32 | Minami | 2700-13 Shirowa-cho | 5 | Staircase landings | 40 | |
| Municipal Nakatajima Apartment Complex | C33 | Minami | 2700-13 Shirowa-cho | 5 | Staircase landings | 40 | |
| Municipal Nakatajima Apartment Complex | C17 | Minami | 2700-2 Shirowa-cho | 5 | Staircase landings | 22 | |
| Municipal Nakatajima Apartment Complex | D18 | Minami | 2700-2 Shirowa-cho | 5 | Staircase landings | 23 | |
| Municipal Nakatajima Apartment Complex | D19 | Minami | 2700-2 Shirowa-cho | 5 | Staircase landings | 23 | |
| Municipal Nakatajima Apartment Complex | C20 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | C21 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 35 | |
| Municipal Nakatajima Apartment Complex | C22 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 35 | |
| Municipal Nakatajima Apartment Complex | C23 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 35 | |
| Municipal Nakatajima Apartment Complex | C24 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 35 | |
| Municipal Nakatajima Apartment Complex | C25 | Minami | 2700-5 Shirowa-cho | 5 | Staircase landings | 35 | |
| Municipal Nakatajima Apartment Complex | C26 | Minami | 2700-8 Shirowa-cho | 5 | Staircase landings | 27 | |
| Municipal Nakatajima Apartment Complex | C27 | Minami | 2700-8 Shirowa-cho | 5 | Staircase landings | 40 | |
| Municipal Nakatajima Apartment Complex | C12 | Minami | 2785-2 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | C13 | Minami | 2785-2 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | C15 | Minami | 2785-2 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | C16 | Minami | 2785-2 Shirowa-cho | 5 | Staircase landings | 44 | |
| Municipal Nakatajima Apartment Complex | D14 | Minami | 2785-2 Shirowa-cho | 5 | Staircase landings | 35 | |
| Goto Community Collaboration Center | | Minami | 242-1 Fukushima-cho | 3 | 3rd floor library room, office rooftop | 402 | Locked at night |
| Hamamatsu Minami High School | North Building | Minami | 961 Yonezu-cho | 4 | 3rd - 4th floor general classrooms | 927 | |
| Hamamatsu Minami High School | South Building | Minami | 961 Yonezu-cho | 3 | 3rd floor special classrooms and study rooms | 457 | |

Emergency Evacuation Shelters (Tsunami Evacuation Buildings)(As of April 1, 2020)

| Facility Name | Building | Ward | Address | Floors | Evacuation Shelter | Area (m ²) | Notes |
|---|--------------------------------------|--------|----------------------------------|--------|---|------------------------|--|
| Honmachi Hama Park Tsunami Evacuation Tower | | Minami | 1280-10 Norieda-cho | | | 150 | |
| Village House Hamamatsu | | Minami | 1346 Yozu-cho | 14 | 3rd - 14th floor walkways | 1,044 | |
| Care Center Hogawa | | Minami | 24 Nezumino-cho | 3 | 3rd floor walkways, rooftop | 502 | |
| Enshunada Coastal Park, Baseball Grounds | | Minami | 1706 Enoshima-cho | 3 | Main stand | 1,746 | Southeast entrance open 24 hours a day |
| Shirowa Gas Governor Station | | Minami | 1739-1 Shirowa-cho | 3 | 1st floor rooftop, 2nd floor rooftop, and 3rd floor rooftop | 527 | Key kept in a key box |
| Tokai Polytechnic College Hamamatsu | Building 1 (Administrative Building) | Minami | 693 Norieda-cho | 4 | 3rd - 4th floor classrooms and corridors | 864 | |
| Tokai Polytechnic College Hamamatsu | Building III (Experiment Building) | Minami | 693 Norieda-cho | 3 | 3rd floor classrooms and corridors | 800 | |
| Minamikaze Special Nursing Home for the Elderly 2 | | Minami | 598 Kuramatsu-cho | 3 | 3rd floor balcony and rooftop | 665 | |
| Green Heights Tsuchiya | | Minami | 682 Mishima- | 3 | 3rd floor walkways | 40 | |
| Integra B | | Minami | 1156-2 Kozawatari-cho, Minami-ku | 5 | Rooftop | 86 | |
| Integra C | | Minami | 1155-1 Kozawatari-cho, Minami-ku | 5 | Rooftop | 86 | |
| Integra D | | Minami | 1215-2 Kozawatari-cho, Minami-ku | 5 | Rooftop | 129 | |
| Integra 1 | | Minami | 1266-1 Kozawatari-cho, Minami-ku | 3 | 3rd floor walkways | 13 | |
| Enshunada Coastal Park, Tsunami Evacuation Mound | | Minami | 1313 Nakatajima-cho | | | 1,000 | |
| Goto Area Tsunami Evacuation Mound | | Minami | 510 Nishijima-cho | | | 1,000 | |