

*** メンセキ ケイサン (ハイイウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 64BL

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
64BL-11	64BL- 1		196 41 57						-131053.365	-68949.554			
64BL- 1	64BL- 2	127 37 41	144 19 33	4.978	-4.044	0	2.903	0	-131057.409	-68946.651	-17.375	70.264500	
64BL- 2	64BL- 3	128 44 44	93 4 22	34.289	-1.838	0	34.240	0	-131059.247	-68912.411	19.768	-36.333584	
64BL- 3	64BL- 4	140 27 30	53 31 52	5.000	2.972	0	4.021	0	-131056.275	-68908.390	58.029	172.462188	
64BL- 4	64BL- 5	143 9 55	16 41 47	60.832	58.267	0	17.477	0	-130998.008	-68890.913	79.527	4633.799709	
64BL- 5	64BL- 6	180 9 2	16 50 49	18.943	18.130	0	5.490	0	-130979.378	-68885.423	102.494	1858.216220	
64BL- 6	64BL- 7	179 44 34	16 35 23	20.811	19.945	0	5.942	0	-130959.933	-68879.481	113.926	2272.254070	
64BL- 7	64BL- 8	129 33 49	326 9 12	4.968	4.126	0	-2.767	0	-130955.807	-68882.248	117.101	483.158726	
64BL- 8	64BL- 9	126 54 38	273 3 50	34.349	1.836	0	-34.300	0	-130953.971	-68916.548	80.034	146.942424	
64BL- 9	64BL-10	141 49 33	234 53 23	5.002	-2.877	0	-4.092	0	-130956.848	-68920.640	41.642	-119.804034	
64BL-10	64BL-11	141 44 7	196 37 30	30.185	-28.923	0	-8.636	0	-130985.771	-68929.276	28.914	-836.279622	
64BL-11	64BL- 1	180 4 27	196 41 57	70.570	-67.594	0	-20.278	0	-131053.365	-68949.554	0.000	0.000000	
TOTAL..	ツツカク入ウ= 11	1620	0 0	289.927	0.000	0	0.000	0			ハイイメンセキ=	8644.680597	
											1/2=	4322.34	+0.00
											メンセキ=	4322.34	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチカクセイリシキヨウ

セリ NO... 64BL(1)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
64BL-28	64BL-40✓		196 38 17						-130969.463	-68903.506			
64BL-40	64BL-27✓	76 25 33	93 3 50✓	20.883✓	-1.116	-1	20.853	0	-130970.580	-68882.653	16.502	-18.432734	
64BL-27	64BL- 7✓	103 31 33	16 35 23✓	11.109✓	10.647	0	3.172	0	-130959.933	-68879.481	40.527	431.490969	
64BL- 7	64BL- 8✓	129 33 49	326 9 12✓	4.968✓	4.126	0	-2.767	0	-130955.807	-68882.248	40.932	168.885432	
64BL- 8	64BL-28✓	126 54 38	273 3 50✓	16.931✓	0.905	0	-16.907	0	-130954.902	-68899.155	21.258	19.238490	
64BL-28	64BL-40✓	103 34 27	196 38 17✓	15.197✓	-14.561	0	-4.351	0	-130969.463	-68903.506	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540	0 0	69.088	0.001	-1✓	0.000	0✓			ハイメンセキ=	601.182157	
											1/2=	300.59	+0.00
											メンセキ=	300.59✓	

セリ NO... 64BL(2)✓

64BL-40	64BL-39✓		196 38 17						-130980.757	-68906.881			
64BL-39	64BL-26✓	90 3 40	106 41 57✓	20.282✓	-5.828	0	19.427	0	-130986.585	-68887.454	16.052	-93.551056	
64BL-26	64BL- 6✓	90 8 52	16 50 49✓	7.008✓	6.707	0	2.031	0	-130979.878	-68885.423	37.510	251.579570	
64BL- 6	64BL-27✓	179 44 34	16 35 23✓	9.702✓	9.298	0	2.770	0	-130970.580	-68882.653	42.311	393.407678	
64BL-27	64BL-40✓	76 28 27	273 3 50✓	20.883✓	1.116	1	-20.853	0	-130969.463	-68903.506	24.228	27.062676	
64BL-40	64BL-39✓	103 34 27	196 38 17✓	11.787✓	-11.294	0	-3.375	0	-130980.757	-68906.881	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540	0 0	69.662	-0.001	1✓	0.000	0✓			ハイメンセキ=	578.498868	
											1/2=	289.24	+0.00
											メンセキ=	289.24✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

セリ NO... 64BL(3)〃

NO.	INO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フ"メンセキ
64BL-39	64BL-38〃		196 38 17						-130992.237	-68910.312			
64BL-38	64BL-25〃	90 3 40	106 41 57〃	20.239〃	-5.816	0	19.385	0	-130998.053	-68890.927	15.954	-92.788464	
64BL-25	64BL- 5〃	89 59 50	16 41 47〃	0.047〃	0.045	0	0.014	0	-130998.008	-68890.913	35.353	1.590885	
64BL- 5	64BL-26〃	180 9 2	16 50 49〃	11.935〃	11.423	0	3.459	0	-130986.585	-68887.454	38.826	443.509398	
64BL-26	64BL-39〃	89 51 8	286 41 57〃	20.282〃	5.828	0	-19.427	0	-130980.757	-68906.881	22.858	133.216424	
64BL-39	64BL-38〃	89 56 20	196 38 17〃	11.981〃	-11.479	-1	-3.430	-1	-130992.237	-68910.312	0.000	0.000000	
TOTAL..	ソツカク入ウ= 5	540 0 0		64.484	0.001	-1〃	0.001	-1〃			ハ"イメンセキ=	485.528243	
											1/2=	242.76	+0.00
											メンセキ=	242.76 /	

セリ NO... 64BL(4)〃

64BL-38	64BL-37〃		196 38 17						-131013.401	-68916.637			
64BL-37	64BL-24〃	90 3 40	106 41 57〃	20.217〃	-5.809	-1	19.364	0	-131019.211	-68897.273	13.039	-75.756590	
64BL-24	64BL-25〃	89 59 50	16 41 47〃	22.089〃	21.158	0	6.346	0	-130998.053	-68890.927	38.749	819.851342	
64BL-25	64BL-38〃	90 0 10	286 41 57〃	20.239〃	5.816	0	-19.385	0	-130992.237	-68910.312	25.710	149.529360	
64BL-38	64BL-37〃	89 56 20	196 38 17〃	22.089〃	-21.164	0	-6.325	0	-131013.401	-68916.637	0.000	0.000000	
TOTAL..	ソツカク入ウ= 4	360 0 0		84.634	0.001	-1〃	0.000	0〃			ハ"イメンセキ=	893.624112	
											1/2=	446.81	+0.00
											メンセキ=	446.81 /	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 64BL(5)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
64BL-37	64BL-36✓		196 38 17						-131034.088	-68922.819			
64BL-36	64BL-23✓	90 3 40	106 41 57✓	20.195✓	-5.803	-1	19.343	0	-131039.892	-68903.476	13.161	-76.38644	4
64BL-23	64BL-24✓	89 59 50	16 41 47✓	21.591✓	20.681	0	6.203	0	-131019.211	-68897.273	38.707	800.4994	67
64BL-24	64BL-37✓	90 0 10	286 41 57✓	20.217✓	5.809	1	-19.364	0	-131013.401	-68916.637	25.546	148.42226	0
64BL-37	64BL-36✓	89 56 20	196 38 17✓	21.591✓	-20.687	0	-6.182	0	-131034.088	-68922.819	0.000	0.00000	0
TOTAL..	ソツカクスウ= 4	360 0 0		83.594	0.000	0✓	0.000	0✓			ハイメンセキ=	872.535283	
											1/2=	436.26	+0.00
											メンセキ=	436.26✓	

セリ NO... 64BL(6)-1✓

64BL-36	64BL-35✓		196 38 17						-131044.901	-68926.050			
64BL-35	64BL-22✓	90 3 40	106 41 57✓	20.183✓	-5.800	0	19.332	0	-131050.701	-68906.718	16.101	-93.38580	0
64BL-22	64BL-23✓	89 59 50	16 41 47✓	11.286✓	10.810	-1	3.242	0	-131039.892	-68903.476	38.675	418.038075	
64BL-23	64BL-36✓	90 0 10	286 41 57✓	20.195✓	5.803	1	-19.343	0	-131034.088	-68922.819	22.574	131.019496	
64BL-36	64BL-35✓	89 56 20	196 38 17✓	11.286✓	-10.813	0	-3.231	0	-131044.901	-68926.050	0.000	0.00000	0
TOTAL..	ソツカクスウ= 4	360 0 0		62.950	0.000	0✓	0.000	0✓			ハイメンセキ=	455.671771	
											1/2=	227.83	+0.00
											メンセキ=	227.83✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 64BL(6)-2 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
64BL-35	64BL-21 ✓		196 38 17						-131058.300	-68930.054			
64BL-21	64BL- 3 ✓	76 26 5	93 4 22 ✓	17.668 ✓	-0.947	0	17.643	0	-131059.247	-68912.411	13.639	-12.916133	
64BL- 3	64BL- 4 ✓	140 27 30	53 31 52 ✓	5.000 ✓	2.972	0	4.021	0	-131056.275	-68908.390	35.303	104.920516	
64BL- 4	64BL-22 ✓	143 9 55	16 41 47 ✓	5.819 ✓	5.574	0	1.672	0	-131050.701	-68906.718	40.996	228.511704	
64BL-22	64BL-35 ✓	90 0 10	286 41 57 ✓	20.183 ✓	5.800	0	-19.332	0	-131044.901	-68926.050	23.336	135.348800	
64BL-35	64BL-21 ✓	89 56 20	196 38 17 ✓	13.984 ✓	-13.399	0	-4.004	0	-131058.300	-68930.054	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540 0 0		62.654	0.000	0 ✓	0.000	0 ✓			ハイメンセキ=	455.864887	
											1/2=	227.93	+0.00
											メンセキ=	227.93 ✓	

セリ NO... 64BL(7)-1 ✓

64BL-33	64BL- 1 ✓		196 41 57						-131053.365	-68949.554			
64BL- 1	64BL- 2 ✓	127 37 41	144 19 38 ✓	4.978 ✓	-4.044	0	2.903	0	-131057.409	-68946.651	-0.769	3.109836	
64BL- 2	64BL-21 ✓	128 44 44	93 4 22 ✓	16.621 ✓	-0.891	0	16.597	0	-131058.300	-68930.054	18.731	-16.689321	
64BL-21	64BL-34 ✓	103 33 55	16 38 17 ✓	11.904 ✓	11.406	0	3.408	0	-131046.894	-68926.646	38.736	441.822816	
64BL-34	64BL-33 ✓	90 3 40	286 41 57 ✓	20.083 ✓	5.771	0	-19.236	0	-131041.123	-68945.882	22.908	132.202068	
64BL-33	64BL- 1 ✓	90 0 0	196 41 57 ✓	12.780 ✓	-12.241	-1	-3.672	0	-131053.365	-68949.554	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540 0 0		66.366	0.001	-1 ✓	0.000	0 ✓			ハイメンセキ=	560.445399	
											1/2=	280.22	+0.00
											メンセキ=	280.22 ✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 64BL(7)-2 ✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カ-フメンセキ
64BL-32	64BL-33 ✓		196 41 57						-131041.123	-68945.882			
64BL-33	64BL-34 ✓	90 0 0	106 41 57 ✓	20.083 ✓	-5.771	0	19.236	0	-131046.894	-68926.646	15.395	-88.844545	
64BL-34	64BL-36 ✓	89 56 20	16 38 17 ✓	13.366 ✓	12.806	0	3.827	0	-131034.088	-68922.819	38.458	492.493148	
64BL-36	64BL-32 ✓	90 3 40	286 41 57 ✓	20.068 ✓	5.766	1	-19.222	0	-131028.321	-68942.041	23.063	133.004321	
64BL-32	64BL-33 ✓	90 0 0	196 41 57 ✓	13.366 ✓	-12.802	0	-3.841	0	-131041.123	-68945.882	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		66.883	-0.001	1 ✓	0.000	0 ✓			ハイメンセキ=	536.652924	
											1/2=	268.32	+0.00
											メンセキ=	268.32 ✓	

セリ NO... 64BL(8) ✓

64BL-31	64BL-32 ✓		196 41 57						-131028.321	-68942.041			
64BL-32	64BL-36 ✓	90 0 0	106 41 57 ✓	20.068 ✓	-5.766	-1	19.222	0	-131034.088	-68922.819	13.018	-75.074806	
64BL-36	64BL-37 ✓	89 56 20	16 38 17 ✓	21.591 ✓	20.687	0	6.182	0	-131013.401	-68916.637	38.422	794.835914	
64BL-37	64BL-31 ✓	90 3 40	286 41 57 ✓	20.045 ✓	5.760	0	-19.200	0	-131007.641	-68935.837	25.404	146.327040	
64BL-31	64BL-32 ✓	90 0 0	196 41 57 ✓	21.591 ✓	-20.680	0	-6.204	0	-131028.321	-68942.041	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		83.295	0.001	-1 ✓	0.000	0 ✓			ハイメンセキ=	866.088148	
											1/2=	433.04	+0.00
											メンセキ=	433.04 ✓	

*** メンセキ ケイサン (ハイオウキヨホウ) ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

セリ NO... 64BL(9)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブメンセキ
64BL-30	64BL-31✓		196 41 57						-131007.641	-68935.837			
64BL-31	64BL-37✓	90 0 0	106 41 57✓	20.045✓	-5.760	0	19.200	0	-131013.401	-68916.637	12.853	-74.033280	
64BL-37	64BL-38✓	89 56 20	16 38 17✓	22.089✓	21.164	0	6.325	0	-130992.237	-68910.312	38.378	812.231992	
64BL-38	64BL-30✓	90 3 40	286 41 57✓	20.022✓	5.753	0	-19.178	0	-130986.484	-68929.490	25.525	146.845325	
64BL-30	64BL-31✓	90 0 0	196 41 57✓	22.089✓	-21.157	0	-6.347	0	-131007.641	-68935.837	0.000	0.000000	
TOTAL..	ソツカクスウ= 4	360 0 0		84.245	0.000	0✓	0.000	0✓			ハイメンセキ=	885.044037	
											1/2=	442.52	+0.00
											メンセキ=	442.52✓	

セリ NO... 64BL(10)✓

64BL-11	64BL-30✓		196 41 57						-130986.484	-68929.490			
64BL-30	64BL-38✓	90 0 0	106 41 57✓	20.022✓	-5.753	0	19.178	0	-130992.237	-68910.312	18.964	-109.099892	
64BL-38	64BL-39✓	89 56 20	16 38 17✓	11.981✓	11.479	1	3.430	1	-130980.757	-68906.881	41.573	477.258040	
64BL-39	64BL-29✓	90 3 40	286 41 57✓	20.025✓	5.754	0	-19.180	0	-130975.003	-68926.061	25.824	148.591296	
64BL-29	64BL-11✓	89 55 33	196 37 30✓	11.238✓	-10.768	0	-3.215	0	-130985.771	-68929.276	3.429	-36.923472	
64BL-11	64BL-30✓	180 4 27	196 41 57✓	0.744✓	-0.713	0	-0.214	0	-130986.484	-68929.490	0.000	0.000000	
TOTAL..	ソツカクスウ= 5	540 0 0		64.010	-0.001	1✓	-0.001	1✓			ハイメンセキ=	479.825972	
											1/2=	239.91	+0.00
											メンセキ=	239.91✓	

*** メンセキ ケイサン (ハ"イオウキヨホウ) ***

チクメイ ... ミヤコタ"チク トチクカクセイリヨ"キ"ヨウ

セリ NO... 64BL(11)✓

NO.	NO.	ANGLE	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	DMD	2A	カーブ"メンセキ
64BL-10	64BL-29✓		196 37 30						-130975.003	-68926.061			
64BL-29	64BL-39✓	90 4 27	106 41 57✓	20.025✓	-5.754	0	19.180	0	-130980.757	-68906.881	13.759	-79.169286	
64BL-39	64BL-28✓	89 56 20	16 38 17✓	26.984✓	25.854	1	7.726	0	-130954.902	-68899.155	40.665	1051.393575	
64BL-28	64BL- 9✓	76 25 33	273 3 50✓	17.418✓	0.931	0	-17.393	0	-130953.971	-68916.548	30.998	28.859138	
64BL- 9	64BL-10✓	141 49 33	234 53 23✓	5.002✓	-2.877	0	-4.092	0	-130956.848	-68920.640	9.513	-27.368901	
64BL-10	64BL-29✓	141 44 7	196 37 30✓	18.947✓	-18.155	0	-5.421	0	-130975.003	-68926.061	0.000	0.000000	
TOTAL...	ソツカクス= 5	540 0 0		88.376	-0.001	1✓	0.000	0✓			ハ"イメンセキ=	973.714526	
											1/2=	486.85	+0.00
											メンセキ=	486.85✓	

*** ケツコウ トラハース ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
	64BL- 2 _レ									-131057.409	-68946.651	64BL- 2
64BL- 2	64BL-21✓			93 4 22✓	16.621✓	-0.891	0	16.597	0	-131058.300	-68930.054	64BL-21
64BL-21	64BL- 3✓	180 0 0		93 4 22✓	17.668✓	-0.947	0	17.643	0	-131059.247	-68912.411	64BL- 3
	TOTAL..	180 0 0			34.289✓	-1.838	0✓	34.240	0✓			
	64BL- 4 _レ									-131056.275	-68908.390	64BL- 4
64BL- 4	64BL-22✓			16 41 47✓	5.819✓	5.574	0	1.672	0	-131050.701	-68906.718	64BL-22
64BL-22	64BL-23✓	180 0 0		16 41 47✓	11.286✓	10.810	-1	3.242	0	-131039.892	-68903.476	64BL-23
64BL-23	64BL-24✓	180 0 0		16 41 47✓	21.591✓	20.681	0	6.203	0	-131019.211	-68897.273	64BL-24
64BL-24	64BL-25✓	180 0 0		16 41 47✓	22.089✓	21.158	0	6.346	0	-130998.053	-68890.927	64BL-25
64BL-25	64BL- 5✓	180 0 0		16 41 47✓	0.047✓	0.045	0	0.014	0	-130998.008	-68890.913	64BL- 5
	TOTAL..	720 0 0			60.832✓	58.268	-1✓	17.477	0✓			
	64BL- 5 _レ									-130998.008	-68890.913	64BL- 5
64BL- 5	64BL-26✓			16 50 49✓	11.935✓	11.423	0	3.459	0	-130986.585	-68887.454	64BL-26
64BL-26	64BL- 6✓	180 0 0		16 50 49✓	7.008✓	6.707	0	2.031	0	-130979.878	-68885.423	64BL- 6
	TOTAL..	180 0 0			18.943✓	18.130	0✓	5.490	0✓			
	64BL- 6 _レ									-130979.878	-68885.423	64BL- 6
64BL- 6	64BL-27✓			16 35 23✓	9.702✓	9.298	0	2.770	0	-130970.580	-68882.653	64BL-27
64BL-27	64BL- 7✓	180 0 0		16 35 23✓	11.109✓	10.647	0	3.172	0	-130959.933	-68879.481	64BL- 7
	TOTAL..	180 0 0			20.811✓	19.945	0✓	5.942	0✓			
	64BL- 8 _レ									-130955.807	-68882.248	64BL- 8

*** ケツコウ トラハ"-入 ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
64BL- 8	64BL-28 ✓			273 3 50 ✓	16.931 ✓	0.905	0	-16.907	0	-130954.902	-68899.155	64BL-28
64BL-28	64BL- 9 ✓	180 0 0		273 3 50 ✓	17.418 ✓	0.931	0	-17.393	0	-130953.971	-68916.548	64BL- 9
	TOTAL..	180 0 0			34.349 ✓	1.836	0 ✓	-34.300	0 ✓			
	64BL-10 ✓									-130956.848	-68920.640	64BL-10
64BL-10	64BL-29 ✓			196 37 30 ✓	18.947 ✓	-18.155	0	-5.421	0	-130975.003	-68926.061	64BL-29
64BL-29	64BL-11 ✓	180 0 0		196 37 30 ✓	11.238 ✓	-10.768	0	-3.215	0	-130985.771	-68929.276	64BL-11
	TOTAL..	180 0 0			30.185 ✓	-28.923	0 ✓	-8.636	0 ✓			
	64BL-11 ✓									-130985.771	-68929.276	64BL-11
64BL-11	64BL-30 ✓			196 41 57 ✓	0.744 ✓	-0.713	0	-0.214	0	-130986.484	-68929.490	64BL-30
64BL-30	64BL-31 ✓	180 0 0		196 41 57 ✓	22.089 ✓	-21.157	0	-6.347	0	-131007.641	-68935.837	64BL-31
64BL-31	64BL-32 ✓	180 0 0		196 41 57 ✓	21.591 ✓	-20.680	0	-6.204	0	-131028.321	-68942.041	64BL-32
64BL-32	64BL-33 ✓	180 0 0		196 41 57 ✓	13.366 ✓	-12.802	0	-3.841	0	-131041.123	-68945.882	64BL-33
64BL-33	64BL- 1 ✓	180 0 0		196 41 57 ✓	12.780 ✓	-12.241	-1	-3.672	0	-131053.365	-68949.554	64BL- 1
	TOTAL..	720 0 0			70.570	-67.593	-1 ✓	-20.278	0 ✓			
	64BL-21 ✓									-131058.300	-68930.054	64BL-21
64BL-21	64BL-34 ✓			16 38 17 ✓	11.904 ✓	11.406	0	3.408	0	-131046.894	-68926.646	64BL-34
64BL-34	64BL-36 ✓	180 0 0		16 38 17 ✓	13.366 ✓	12.806	0	3.827	0	-131034.088	-68922.819	64BL-36
64BL-36	64BL-37 ✓	180 0 0		16 38 17 ✓	21.591 ✓	20.687	0	6.182	0	-131013.401	-68916.637	64BL-37
64BL-37	64BL-38 ✓	180 0 0		16 38 17 ✓	22.089 ✓	21.164	0	6.325	0	-130992.237	-68910.312	64BL-38
64BL-38	64BL-39 ✓	180 0 0		16 38 17 ✓	11.981 ✓	11.479	1	3.430	1	-130980.757	-68906.881	64BL-39
64BL-39	64BL-28 ✓	180 0 0		16 38 17 ✓	26.984 ✓	25.854	1	7.726	0	-130954.902	-68899.155	64BL-28

*** ケツコウ トラハ"-入 ***

チクメイ ... ミヤコタ"チク トチクカクセイリシ"キ"ヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
	TOTAL..	900 0 0			107.915 ✓	103.396	2 ✓	30.898	1 ✓			
	64BL-21,									-131058.300	-68930.054	64BL-21
64BL-21	64BL-35 ✓			16 38 17 ✓	13.984 ✓	13.399	0	4.004	0	-131044.901	-68926.050	64BL-35
64BL-35	64BL-36 ✓	180 0 0		16 38 17 ✓	11.286 ✓	10.813	0	3.231	0	-131034.088	-68922.819	64BL-36
64BL-36	64BL-37 ✓	180 0 0		16 38 17 ✓	21.591 ✓	20.687	0	6.182	0	-131013.401	-68916.637	64BL-37
64BL-37	64BL-38 ✓	180 0 0		16 38 17 ✓	22.089 ✓	21.164	0	6.325	0	-130992.237	-68910.312	64BL-38
64BL-38	64BL-39 ✓	180 0 0		16 38 17 ✓	11.981 ✓	11.479	1	3.430	1	-130980.757	-68906.881	64BL-39
64BL-39	64BL-40 ✓	180 0 0		16 38 17 ✓	11.787 ✓	11.294	0	3.375	0	-130969.463	-68903.506	64BL-40
64BL-40	64BL-28 ✓	180 0 0		16 38 17 ✓	15.197 ✓	14.561	0	4.351	0	-130954.902	-68899.155	64BL-28
	TOTAL..	1080 0 0			107.915 ✓	103.397	1 ✓	30.898	1 ✓			
	64BL-21,									-131058.300	-68930.054	64BL-21
64BL-21	64BL-34 ✓			16 38 17 ✓	11.904 ✓	11.406	0	3.408	0	-131046.894	-68926.646	64BL-34
64BL-34	64BL-35 ✓	180 0 0		16 38 17 ✓	2.080 ✓	1.993	0	0.596	0	-131044.901	-68926.050	64BL-35
64BL-35	64BL-36 ✓	180 0 0		16 38 17 ✓	11.286 ✓	10.813	0	3.231	0	-131034.088	-68922.819	64BL-36
64BL-36	64BL-37 ✓	180 0 0		16 38 17 ✓	21.591 ✓	20.687	0	6.182	0	-131013.401	-68916.637	64BL-37
64BL-37	64BL-38 ✓	180 0 0		16 38 17 ✓	22.089 ✓	21.164	0	6.325	0	-130992.237	-68910.312	64BL-38
64BL-38	64BL-39 ✓	180 0 0		16 38 17 ✓	11.981 ✓	11.479	1	3.430	1	-130980.757	-68906.881	64BL-39
64BL-39	64BL-40 ✓	180 0 0		16 38 17 ✓	11.787 ✓	11.294	0	3.375	0	-130969.463	-68903.506	64BL-40
64BL-40	64BL-28 ✓	180 0 0		16 38 17 ✓	15.197 ✓	14.561	0	4.351	0	-130954.902	-68899.155	64BL-28
	TOTAL..	1260 0 0			107.915 ✓	103.397	1 ✓	30.898	1 ✓			
	64BL-29									-130975.003	-68926.061	64BL-29

*** ケツコウ トラハス ***

チクメイ ... ミヤコタチク トチクカクセイリシキヨウ

NO.	NO.	ANGLE	*	AZIMUTH	LENGTH	DX	*	DY	*	X	Y	NO.
64BL-29	64BL-39✓			106 41 57✓	20.025✓	-5.754	0	19.180	0	-130980.757	-68906.881	64BL-39
64BL-39	64BL-26✓	180 0 0		106 41 57✓	20.282✓	-5.828	0	19.427	0	-130986.585	-68887.454	64BL-26
	TOTAL..	180 0 0			40.307✓	-11.582	0✓	38.607	0✓			
	64BL-30✓									-130986.484	-68929.490	64BL-30
64BL-30	64BL-38✓			106 41 57✓	20.022✓	-5.753	0	19.178	0	-130992.237	-68910.312	64BL-38
64BL-38	64BL-25✓	180 0 0		106 41 57✓	20.239✓	-5.816	0	19.385	0	-130998.053	-68890.927	64BL-25
	TOTAL..	180 0 0			40.261✓	-11.569	0✓	38.563	0✓			
	64BL-31✓									-131007.641	-68935.837	64BL-31
64BL-31	64BL-37✓			106 41 57✓	20.045✓	-5.760	0	19.200	0	-131013.401	-68916.637	64BL-37
64BL-37	64BL-24✓	180 0 0		106 41 57✓	20.217✓	-5.809	-1	19.364	0	-131019.211	-68897.273	64BL-24
	TOTAL..	180 0 0			40.262✓	-11.569	-1✓	38.564	0✓			
	64BL-32✓									-131028.321	-68942.041	64BL-32
64BL-32	64BL-36✓			106 41 57	20.068✓	-5.766	-1	19.222	0	-131034.088	-68922.819	64BL-36
64BL-36	64BL-23✓	180 0 0		106 41 57	20.195✓	-5.803	-1	19.343	0	-131039.892	-68903.476	64BL-23
	TOTAL..	180 0 0			40.263✓	-11.569	-2✓	38.565	0✓			